## **VOLUME 58 • AUTHOR INDEX**

Abbot SE et al. Tumour necrosis factor a stimulated rheumatoid synovial microvascular endothelial cells exhibit increased shear rate dependent leucocyte adhesion in vitro, 573

Accogli E see Perniola R et al

Adachi M see Hatano Y et al

Aggarwal BB see Darnay BG and Aggarwal BB

Ahern MJ see Shanhan EM et al

Ainola M see Konttinen YT et al

Allaha M see Kurokawa M et al Alavi A see Axford JS et al Alexander CJ. Heberden's and Bouchard's nodes, 675 Allahabadia A see Heward J et al Alldersea JE see Mattey DL et al Al-Saffar Z see Moots RJ et al

Åman S et al. The value of synovial fluid analysis in the assessment of knee joint destruction in arthritis in a three year follow up study, 559

Amerongen AVN see van der Reijden WA et al

Amor B see Reis P et al
Amoura Z see Piette J-C et al
Andersen CB see Ostergaard K et al

Anderson U see Cunnane G et al Andre M see Papo T et al Aoyagi K et al. Prevalence of joint pain is higher among women in rural Japan than urban Japanese-American women in Hawaii, 315

Apaydin S et al. A successful renal transplantation in Behçet's syndrome: letter, 719
Apparailly F see Jorgensen C et al

Appelboar A see Moore AR et al
Aringer M see Köller M et al
Assayag P see Sarda L et al
Aumaitre O see Papo T et al
Axéll T see Uhlig T et al
Axford JS see George GHM and Axford JS

Axford JS et al. Increased IgA rheumatoid factor and V<sub>H</sub>1 associated cross reactive idiotype expression in patients with Lyme arthritis and neuroborreliosis, 757

Bacon PA see Moots RJ et al

Bacon PA see Moots RJ et al Bahjaoui-Bouhaddi M see Toussirot E et al Balint P see Hamilton J et al Ballara S see Maini RN et al Balsa A see Villaverde V et al

Bank RA et al. Lysylhydroxylation and non-reducible crosslinking of human supraspinatus tendon collagen: changes with age and in chronic rotator cuff tendinitis, 35

Barakat K see Pyne D et al Barendregt PJ et al. Parasympathetic failure does not contribute to

ocular dryness in primary Sjögren's syndrome, 746 Barnett AH see Heward J et al Barozzi L see Cantini F et al Barrera P see Rodenburg RJT et al Basci NE see Kortunay S et al Bathum L see Kortunay S et al Baumann G see Witt C et al Bayliss MT see Lewis S et al Bayne EK see van Meurs JBJ et al

Belcher C see Lewis S et al Bell AL see Courtney PA et al Bell M see Carroll G et al

Bellamy N et al. Perceptual variation in grading hand, hip and knee radiographs: observations based on an Australian Twin Registry

study of osteoarthritis, 766

Belt EA et al. Assessment of mutilans-like hand deformities in chronic inflammatory joint diseases. A radiographic study of 52

chronic inflammatory joint diseases. A radiographic study of 52 patients, 250

Bendtzen K see Ostergaard K et al
Benjamin S see Hopkinson N et al
Berry E see Veale DJ et al
Bertouch JV see Wong P et al
Bijlsma JWJ see van Vugt RM et al
see Verhoef CM et al
Bijzet J see Hazenberg BPC et al
Birrell F et al. Projecting the need for hip replacement over the next
three decades: influence of changing demography and threshold three decades: influence of changing demography and threshold

three decades: influence of changing demography and threshol for surgery, 569
Biskop M see Schädlich H et al
Bjork L see Cunnane G et al
Blake DR see Abbot SE et al
Bliddal H. Placement of intra-articular injections verified by mini air-arthrography, 641
Bloch DA see Fries JF et al
Blom HJ see Haagsma CJ et al

Bock E see Sander O et al

Boegard T et al. Bone scintigraphy in chronic knee pain: comparison with magnetic resonance imaging, 20 Boerbooms AMT see Stolk JN et al

Boiardi L see Cantini F et al see Salvarani C et al

Bombardier C, Maetzel A. Pharmacoeconomic evaluation of new treatments: efficacy versus effectiveness studies?, **I82 Bondeson J** see Feldmann M et al

Book reviews Bonnick SL. Bone densitometry in clinical practice,

Miossec P, van den Berg WB, Firestein GS, editors. T cell in arthritis, 150

Boomsma F see Barendregt PJ et al

Borch A see Hansen M et al Borges AC see Witt C et al Borggreve SE see Rood MJ et al Bornet H see Duhaut P et al

Bosch X. Microscopic polyangitis (microscopic polyarteritis) with late emergence of generalised Wegener's granulomatosis, 644

Bouter LM see de Winter AF et al

see van der Heijden GJMG et al Boylston AW see Veale DJ et al Bozkurt A see Kortunay S et al Bradbury N see Weston VC et al Bragliani M see Salvarani C et al Breedveld FC see Furst DE et al see Rood MJ et al

Brennan FM see Feldmann M et al see Maini RN et al Bresnihan B see Cunnane G et al

Bresnihan B. Treatment of rheumatoid arthritis with interleukin 1 receptor antagonist, 196

Brittenden J see Lian T et al Brosen K see Kortunay S et al Bruce IN et al. Factors associated with fatigue in patients with

systemic lupus erythematosus, 379 Brunner N see Slot O et al

Budak F see Dalkiliç E et al Byers RJ see Freemont AJ et al

Çalgüneri M see Kortunay S et al Caminal L see Susano R et al Cantagrel A see Dougados M et al

Cantalejo M see Villaverde V et al Cantini F see Gumá M et al

Salvarani C et al Cantini F et al. Remitting seronegative symmetrical synovitis with pitting oedema (RS3PE) syndrome: a prospective follow up and magnetic resonance imaging study, 230
Capell HA see Crilly A et al

see Gordon M-M et al see Maiden N et al

Capell HA, McEntegart A. Musculoskeletal disorders in the community: letter, 323
Cappelle S see Toussirot E et al

Carroll G et al. Effects of methotrexate on cartilage metabolism: matters arising, 196 Casado E see Gumá M et al

Casado E see Guma M et al
Castro J see Rivera-Civico F et al
Cawley MID see Venkatachalam S et al
Cervini C see Grassi W et al
Chang D-M et al. Effects of anti-rheumatic herbal medicines on
cellular adhesion molecules, 366
Chang M-L see Chang D-M et al
Charles P see Maini RN et al
Charles F see Paper T et al

Charlotte F see Papo T et al
Chen T-Y see Tzang B-S et al
Cid MC see Coll-Vinent B et al
Clair EW. Interleukin 10 treatment for rheumatoid arthritis, 199 Clark E et al. Ear, ear, what's going on in Norfolk?: matters arising, 660

Clunie GPR see O'Duffy EK et al

Collina E see Salvarani Č et al Coll-Vinent B et al. Circulating soluble adhesion molecules in patients with giant cell arteritis. Correlation between soluble intercellular adhesion molecule-1 (sICAM-1) concentrations and disease activity, 189

Combe B see Dougados M et al

see Hayem G et al

see Payern G et al.

Constantopoulos SH see Papiris SA et al.

Cooper C see Venkatachalam S et al.

Corral LG, Kaplan G. Immunomodulation by thalidomide and thalidomide analogues, 1107

Corredoira J see Garcia-Porrua C et al.

Courtney PA et al. Increased apoptotic peripheral blood neutrophils in systemic lupus erythematosus; relations with disease activity, antibodies to double stranded DNA, and neutropenia, 309

Crabbe J see McQueen FM et al

Cranney A et al. A measure of limited joint motion and deformity correlates with HLA-DRB1 and DQB1 alleles in patients with shaupartial arthritis 703.

correlates with HLA-DRB1 and DQB1 alleles in patients with rheumatoid arthritis, 703

Crawley E see Isenberg D et al

Crilly A et al. Genotyping for disease associated HLA DR β1 alleles and the need for early joint surgery in rheumatoid arthritis: a quantitative evaluation, 114

Crockard AD see Courtney PA et al

Crockard M est Luits S et al.

Crossman M see Lewis S et al Cunnane G et al. Quantitative analysis of synovial membrane inflammation: a comparison between automated and conventional microscopic measurements, 493

 $\begin{array}{c} \textbf{Dahlström} \ \ \textbf{J} \textit{ see} \ \textbf{Boegård} \ \ \textbf{T} \textit{ et al} \\ \textbf{Dalkiliç} \ \ \textbf{E} \textit{ et al.} \ \textbf{Lymphocyte} \ \textbf{phenotypes} \ \textbf{in systemic sclerosis:} \textit{ letter,} \\ \end{array}$ 

Darnay BG, Aggarwal BB. Signal transduction by tumour necrosis factor and tumour necrosis factor related ligands and their

receptors, I2
Dawes PT see Mattey DL et al
D'Cruz D see Moore AR et al
de Abreu RA see Stolk JN et al
de Bandt M see Hayem G et al

de Gast A see van Royen BJ and de Gast A de Graaff R see Oostveen JCM et al de Jong AJL see Jansen TLTA et al de Keyser F see Vincent C et al de Keyser P see vincent G et al de Koning DGM see Stolk JN et al del Arbol JL see Rivera-Civico F et al del Río JRR see Vila LM et al Demolombe-Ragué S see Duhaut P et al Dennison E see Venkatachalam S et al

de Recherche Sur L'artérite À Cellules Géantes see Duhaut P

de Rinaldis C see Perniola R et al
Devillé W see de Winter AF et al
de Winter AF et al. Diagnostic classification of shoulder disorders

interobserver agreement and determinants of disagreement, 272 Diaz B see Susano R et al Dieppe P see McCarthy GM and Dieppe P Dieppe P, Swan A. Identification of crystals in synovial fluid: leader,

Dijkmans BAC see Giltay EJ et al see Nurmohamed MT et al Dilek K see Dalkiliç E et al Dirksen H see Boegård T et al Do K-A see Bellamy N et al Dobashi N see Fujita J et al Doherty M see Lewis S et al see O'Reilly SC et al

see Weston VC. et al **Doherty M.** From Nottingham to Nijmegen: leader, **390**The birth of eARD: leader, **197** 

Doherty M et al. Guidelines for rheumatology undergraduate core curriculum, 133

Dougados M see Reis P et al

Dougados M et al. Combination therapy in early rheumatoid
arthritis: a randomised, controlled, double blind 52 week clinical trial of sulphasalazine and methotrexate compared with the

single components, 220

Douni E see Kollias G et al

Dreses-Werringloer U see Kuipers JG et al

Dudler J et al. Polyarthritis and pitting oedema, 142

Duhaut P et al. Biopsy proven and biopsy negative temporal arteritis:
differences in clinical spectrum at the onset of the disease, 335

Dumontet C see Duhaut P et al

Eberhardt K see Fries JF et a

see Lindqvist E and Eberhardt K

Eberl G see Köller M et al

Edwards CK, Iii . PEGylated recombinant human soluble tumour
necrosis factor receptor type I (r-Hu-sTNF-RI): novel high
affinity TNF receptor designed for chronic inflammatory diseases, 173

diseases, 173

Edwards JCW see O'Duffy EK et al

Eguchi K see Hida A et al
see Nakamura H et al

Eliaou JF see Hayem G et al

Elil PJ see O'Duffy EK et al

El-Rassi R see Piette J-C et al

Emery P see Lian T et al
see Veale DJ et al

Emmrich F see Schädlich H et al

Erek E see Apaydin S et al

Erlacher L see Köller M et al

Ermann J see Schädlich H et al

Ernant E. Evidence-based complementary medicine: A contradiction
in terms?: leader, 69

**EULAR Standing Committee on Education and Training see** Doherty M et a

Falk W see Schädlich H et al Faraggi M see Sarda L et al Farina A see Grassi W et al Farmer JA see Torre-Amione G et al Fawthrop F see Weston VC et al Feldmann M see Maini RN et al Feldmann M et al. The rationale for the current boom in anti-TNFa

treatment. Is there an effective means to define therapeutic targets for drugs that provide all the benefits of anti-TNFα and minimise hazards?, I27

Ferrari R, Russell AS. Epidemiology of whiplash: an international

Field M see Hamilton J et al Fietze I see Witt C et al Fietze I see Witt C et al Finch MB see Windrum P et al Fitzgerald O see Cunnane G et al Flannelly J see Lewis S et al Florescu A see Hansen M et al Font C see Coll-Vinent B et al Foxwell BMJ see Feldmann M et al Franklyn JA see Heward J et al

Freemont AJ et al. In situ zymographic localisation of type II collagen degrading activity in osteoarthritic human articular cartilage, 357

cartlage, 357

Fries JF. Safety, cost and effectiveness issues with disease modifying anti-rheumatic drugs in rheumatoid arthritis, 186

Fries JF et al. Mortality in rheumatoid arthritis patients: matters arising, 723

Fryer AA see Mattey DL et al

Fujii K et al. Rheumatoid arthritis: A synovial disease?, 727

Fujita J at al. Detection of anti-ADAM 10 antibody in serum of a

patient with pulmonary fibrosis associated with dermatomyositis,

Funato T see Murai C et al

Furst DE et al. Building towards a consensus for the use of tumour necrosis factor blocking agents: leader, 725

Gaffney K see Clark E et al Gambari PF see Punzi L et al Gamble GE et al. Shoulder pain after stroke: case report and review: letter, 451

letter, 451

Garcia-Porrua C et al. Hip pain, 148

Garrison L, McDonnell ND. Etanercept: therapeutic use in patients with rheumatoid arthritis, 165

Geelen JAG see Oostveen JCM et al

George GHM, Axford JS. Asthma and epididymitis: the calm

George GHM, Axford JS. Asthma and epididymitis: the calm before the storm, 731
Georgi J see Hemauer A et al
Gerster J-C see Dudler J et al
Gibbon W see Veale DJ et al
Gibsendorf BAJ see Haagsma CJ et al
Giltay EJ et al. Decreased serum biochemical markers of muscle origin in patients with ankylosing spondylitis, 541
Gladman DD see Bruce IN et al
Golding SP see Moots RJ et al
Golding SP see Cranney A et al
Goldstein R see Cranney A et al
Gonzalez-Gay MA see Garcia-Porrua C et al
Gooren LJG see Giltay EJ et al
Gordon C see Heward J et al
Gordon C see Heward J et al
Gordon M-M, Madhok R. Fatal myocardial necrosis: lesson of th

Gordon M-M, Madhok R. Fatal myocardial necrosis: lesson of the

Gordon M-M et al. Does sulphasalazine cause drug induced systemic lupus erythematosus? No effect evident in a prospective randomised trial of 200 rheumatoid patients treated with sulphasalazine or auranofin over five years, 288 Gough A see Quinn M et al

Gough A see Quinn M et al
Gough SCL see Heward J et al
Goupille P see Dougados M et al
Gowland G see Moore AR et al
Granfors K see Höhler T et al
Graninger W see Köller M et al
Gransi W et al. Synovitis of small joints: sonographic guided
diagnostic and therapeutic approach, 595

Grau JM see Coll-Vinent B et al Gray J see Teir J et al Grennan DM see Teir J et al Gripenberg-Lerche C see Höhler T et al Guillevin L see Sarda L et al

Gullülü M see Dalkiliç E et al Gumá M et al. RS3PE: six years later: matters arising, 722

Gunnarsson I see Pourmand N et al

Haagsma CJ et al. Influence of sulphasalazine, methotrexate, and the combination of both on plasma homocysteine concentrations in patients with rheumatoid arthritis, 79
 Hägglund G see Ingvarsson T et al

Hakala M see Aman S et al Hallett DC see Bruce IN et al

Hamilton J et al. A concealed cause of recurrent renal failure in a

patient with juvenile chronic arthritis, 396

Hammer M see Kuipers JG et al

Hampson R see Maiden N et al

Hamuryudan V see Apaydin S et al

e Tüzün B et al

Hanaoka R see Hatano Y et al Hannonen P see Sokka T and Hannonen P et al

Hansen M et al. A randomised trial of differentiated prednisolone treatment in active rheumatoid arthritis. Clinical benefits and skeletal side effects, 713 Hansen TM see Hansen M et al

Hansen TM see Hansen M et al
Hanyu N see Shin H et al
Harper LK see Harriman G et al
Harriman G et al. Summary of clinical trials in rheumatoid arthritis
using infliximab, an anti-TNFa treatment, I61
Hasegawa Y see Nagaya H et al
Hassell AB see Mattey DL et al
Hatano Y et al. Macrophage inflammatory protein 1 alpha expression
hatano Y et al. Macrophage inflammatory protein 1 alpha expression

hatano Y et al. Macrophage inflammatory protein 1 alpha express by synovial fluid neutrophils in rheumatoid arthritis, 297

Havlat M see Kontogiannis V et al

Hayashi T see Aoyagi K et al

Hayem G et al. Anti-heat shock protein 70 kDa and 90 kDa

antibodies in serum of patients with rheumatoid arthritis, 291

Hayes ME see Smith SJ et al

Hazenberg BPC et al. A quantitative method for detecting deposits
of amyloid A protein in aspirated fat tissue of patients with
arthritis, 96

Hazleman BL see Bank RA et al

Helin H see Pertovaara M et al Helliwell PS, Porter G. Controlled study of the prevalence of radiological osteoarthritis in clinically unrecognised juxta-articular Paget's disease, 762

Helmke K see Hemauer A et al Hemauer A et al. There is no association between polymyalgia atica and acute parvovirus B19 infection: letter, 657

Henriet M-T see Toussirot E et al Herborn G see Sander O et al

Herborn G see Sander O et al
Hernandez-Rodriguez J see Coll-Vinent B et al
Herranz MT see Rivera-Civico F et al
Hersch M see Wong P et al
Heward J et al. The A-G polymorphism in exon 1 of the CTLA-4
gene is not associated with systemic lupus erythematosus, 193
Hida A et al. HTLV-I associated Sjögren's syndrome is actiologically
distinct from anti-centromere antibodies positive Sjögren's

syndrome, 320 Hirota S see Shichikawa K et al

Hirota S see Shichikawa K et al
Hockey P see Venkatachalam S et al
Hof MAV see Haagsma CJ et al
Hogstedt C see Sandmark H et al
Höhler T see Maksymowych WP and Höhler T
Höhler T et al. Ankylosing spondylitis in monozygotic twins: studies
on immunological parameters, 428
Holthuysen AEM see van Meurs JBJ et al
Hopkinson N et al. Polymyalgia and low back pain: a common cause
not to be missed: lesson of the month, 462
Houben JP see van der Heijden GJMG et al
Hovland JA see Freemont Al et al

Hoyland JA see Freemont AJ et al Hsu T-C see Tzang B-S et al Huang C see Aoyagi K et al Huang J see Ushiyama T et al Hug R see Höhler T et al Huizinga TWJ see Isenberg D et al

e Rood MJ et al

Hukuda S see Kawasaki T et al see Ushiyama T et al

Hulsemann JL, Zeidler H. Diagnostic evaluation of classification criteria for rheumatoid arthritis and reactive arthritis in an early synovitis outpatient clinic,

Hutchinson D see Moots RJ et al

Ida H see Konttinen YT et al Ide H see Hatano Y et al Iii see Edwards CK and Iii

Ilonen J see Teir J et al Ingvarsson T et al. Prevalence of hip osteoarthritis in Iceland, 201

Inoue K see Kawasaki T et al see Shichikawa K et al

see Shichikawa K et al
see Ushiyama T et al
loannou Y see Pourmand N et al
Irisa T see Miyanishi K et al
Irvine AE see Courtney PA et al
Irvine S et al. Early referral, diagnosis, and treatment of rheumatoid
arthritis: evidence for changing medical practice, 510

Isenberg DA see Pourmand N et al
Isenberg D et al. Neuropsychiatric systemic lupus erythematosus:
matters arising, 658
Ishii T see Murai C et al
Ito H see Nagaya H et al

Ivorra J et al. Most calcium pyrophosphate crystals appear as

non-birefringent, 582
Iwabuchi H see Hatano Y et al
Iwamoto Y see Miyanishi K et al
Iwata H see Nagaya H et al
Iyoda K see Nagaya H et al

Jans MP see de Winter AF et al Jansen TLTA et al. A clinical and serological comparison of group A versus non-group A streptococcal reactive arthritis and throat culture negative cases of post-streptococcal reactive arthritis, 410 Janssen M see Jansen TLTA et al

Janssen M see Jansen I LIA et al
Jennison C see Abbot SE et al
Jensen JL see Uhlig T et al
Jiménez-Alonso J see Rivera-Civico F et al
Jing L see Hatano Y et al
John M see Witt C et al Johnell O see Birrell F et al Jones AC see Perkins P and Jones AC

Jones AC see Perkins P and Jones AC
see Weston VC et al
Jones AKP see Gamble GE et al
Jones NS. Nasal manifestations of rheumatic diseases: leader, 589
Jones PW see Mattey DL et al

Jonsson K see Boegard T

Joosten LAB see van den Berg WB et al Jorgensen C et al. Immunological evaluation of cytokine and anticytokine immunotherapy in vivo: what have we learnt?: review, 136

Jungel A see Schädlich H'et al

Kaarela K see Belt EA et al Kahn MF see Hayem G et al Kalden JR see Breedveld FC et al see Furst DE et al

see Furst DE et al
Kallenberg CGM see Kobold ACM et al
Kaplan G see Corral LG and Kaplan G
Karakoç Y see Dalkiliç E et al
Karsh J see Cranney A et al
Kasama T see Hatano Y et al
Kassiotis G see Kollias G et al
Kasukawa R see Kurokawa M et al
Kato T see Kurokawa M et al

Kasukawa R see Kurokawa M et Kato T see Kurokawa M et al see Sekine T et al Kauppi M see Aman S et al Kauppi MJ see Belt EA et al Kautiainen HJ see Belt EA et al Kautiainen HJ see Moore AR et al Kawabata K see Moore AR et al see Nakamura H et al Sawabata K see Hida A et al

Kawakami A see Hida A et al see Nakamura H et al

Kawasaki T et al. Polymorphic CAG repeats of the androgen receptor gene and rheumatoid arthritis, 500
Kayaalp SO see Kortunay S et al
Keijsers V see Rood MJ et al
Kemeny J-L see Papo T et al

Kempeni J. Preliminary results of early clinical trials with the fully human anti-TNFα monoclonal antibody D2E7, I70

Kennedy RJ see Courtney PA et al Kiener H see Köller M et al

Kimchi A. DAP kinase and DAP-3: novel positive mediators of apoptosis, I14 Kimura M see Shichikawa K et al

Kinne RW see Konttinen YT et al Kirwan J see Shepstone L et al

Kirwan J see Shepstone L et al
Kitajima I see Shin H et al
see Ukaji F et al
Klestov A see Bellamy N et al
Kluger E see Hansen M et al
Knight SM see Quinn M et al
Knijff-Dutmer EAJ et al. Effects of nabumetone compared with
naproxen on platelet aggregation in patients with rheumatoid
arthritis, 257 arthritis 257

Knipschild PG see van der Heijden GJMG et al

Kobata T see Kurokawa M et al Kobayashi K see Hatano Y et al Kobold ACM et al. Monocyte activation in patients with Wegener's granulomatosis, 237 Koehler L see Kuipers JG et al

Köhler L see Kuipers JG et al Köller M et al. Expression of adhesion molecules on synovial fluid and peripheral blood monocytes in patients with inflammatory joint disease and osteoarthritis, 709

Kollias G see van den Berg WB et al Kollias G et al. The function of tumour necrosis factor and receptors in models of multi-organ inflammation, rheumatoid arthritis

multiple sclerosis and inflammatory bowel disease, I32

Kong SX see Wolfe F and Kong SX

Kontogiannis V et al. Cladribine in the treatment of systemic lupus erythematosus nephritis: letter, 653

Systemic vasculitis or not? That is the question, 591

Kontoyiannis D see Kollias G et al Konttinen YT et al. Analysis of 16 different matrix metalloproteinases (MMP-1 to MMP-20) in the synovial membrane: different profiles in trauma and rheumatoid arthritis,

Expression of laminins and their integrin receptors in different conditions of synovial membrane and synovial membrane-like

ditions of synovial membrane and synovial membrane-like interface tissue, 683

Korpela M see Pertovaara M et al

Kortunay S et al. CYP2C19 genotype does not represent a genetic predisposition in idiopathic systemic lupus erythematosus, 182

Kostense PJ see Giltay EJ et al

Krause A see Witt C et al

Kreutz G. European regulatory aspects on new medicines targeted at treatment of rheumatoid arthritis, 192

Krummenauer F see Höhler T et al

Kubo T see Shin H et al

Krummenauer P see Honter 1 et al
Kubo T see Shin H et al
see Ukaji F et al
Kuhnert P see Bellamy N et al
Kuiners JG et al. Optimised sample preparation of synovial fluid for
detection of Chlamydia trachomatis DNA by polymerase chain reaction, 103

Reaction, 103
Reactive or infectious arthritis: leader, 661
Kuo S-Y see Chang D-M et al
Kurokawa M et al. Characterisation of T cell clonotypes that accumulated in multiple joints of patients with rheumatoid arthritis, 546

Kvien TK see Uhlig T et al

Laar MAFJV see Knijff-Dutmer EAJ et al Lafeber FPJG see Verhoef CM et al Lai J-H see Chang D-M et al Lamanna G see Grassi W et al Lamanna G see Grassi W et al
Lang B see Hemauer A et al
Lanyon PC see Kontogiannis V et al
Lawrence WD see Schaefer CJ et al
Lawson BR see Theofilopoulos AN and Lawson BR
Leffers P see van der Heijden GJMG et al
le Guludec D see Sarda L et al
Lehmann J see Schädlich H et al
Lehto MUK see Belt EA et al
Leitisalo-Repo M see Dougados M et al
see Teit Let al

Lernsato-Repo M see Dougados M et al see Teir J et al

Lems WF see Nurmohamed MT et al

le Thi Huong D see Papo T et al

Levell N see O'Gradaigh D et al

Lewis S et al. Chondroitin sulphation patterns in synovial fluid in osteoarthritis subsets, 441

Lewold S see Sandmark H et al

Li TF see Konttinen YT et al

Lin T et al. Peergreat har ghodowing in adult invanile idioparkie

Li TF see Konttinen YT et al
Lian T et al. Recurrent lung shadowing in adult juvenile idiopathic
arthritis: lesson of the month, 742
Limburg PC see Hazenberg BPC et al
Lindblad S see Cunnane G et al
Lindqvist E see Fries JF et al
Lindqvist E, Eberhardt K. Mortality in rheumatoid arthritis
patients with disease onset in the 1980s, 11
Liu Y-C see Tzang B-S et al
Lobreglio G see Perniola R et al
Locht H see Slot O et al

Lock H see Slot O et al
Lock C et al. The role of TNFa and lymphotoxin in demyelinating

disease, II21
Löfström B see Pourmand N et al
Lohmander LS see Ingwarsson T et al
Loire R see Duhaut P et al
López-Otin C see Konttinen YT et al Lowe JS see Kontogiannis V et al Lui D see O'Duffy EK et al

Luukkainen R see Aman S et al

Ma J see Konttinen YT et al

McCarthy GM, Dieppe P. Crystals in arthritis: new age nonsense
or novel therapeutic target?: matters arising, 723

Macchioni L see Cantini F et al
Macchioni P see Salvarani C et al
McDonnell ND see Garrison L and McDonnell ND
McEntegart A see Capell HA and McEntegart A

Machold K see Köller M et al
McLean L see McOupen FM et al

McLean L see McQueen FM et al
McQueen FM et al. Magnetic resonance imaging of the wrist in early
rheumatoid arthritis reveals progression of erosions despite

clinical improvement, 156

Madhok R see Crilly A et al
see Gordon M-M and Madhok R
see Maiden N et al
Maeda A see Shichikawa K et al
Maetal A et Berbardine C and N

Maetzel A see Bombardier C and Maetzel A Mageed RA see Axford JS et al Magnusson CGM see Pourmand N et al Maiden N see Crilly A et al

Maiden N et al. Does social disadvantage contribute to the excess mortality in rheumatoid arthritis patients?, 525

Maini RN see Feldmann M et al

Maini RN et al. Anti-tumour necrosis factor specific antibody

(infliximab) treatment provides insights into the pathophysiology of rheumatoid arthritis, 156

of rheumatoid arthritis, I56
Mak VC see Bruce IN et al
Maksymowych WP, Höhler T. LMP2 polymorphisms and
spondyloarthropathies: letter, 386
Mandelin J see Konttinen YT et al
Maniati M see Papiris SA et al
Mantovani V see Salvarani C et al
Märker-Hermann E see Höhler T et al
Märkusse HM see Barendregt PJ et al
Martuns A see Knijff-Dutmer EAJ et al
Martin N see Bellamy N et al
Martin N see Bellamy N et al
Maruyama I see Shin H et al
see Ukaji F et al

Maruyama I see Shill II et di see Ukaji F et al Mason RM see Lewis S et al Mason U see Veale DJ et al Masson-Bessière C see Vincent C et al Masuda R see Nakagawa K et al Masuko-Hongo K see Kurokawa M et al see Sekine T et al Mat C see Tüzün B et al

Mattey DL et al. Association of polymorphism in glutathione
S-transferase loci with susceptibility and outcome in rheumatoid
arthritis: comparison with the shared epitope, 164

Mawer EB see Smith SJ et al
see Tetlow LC et al
Merry P see Clark E et al

Meusser S see Dougados M et al Meyer O see Hayem G et al Sarda L et al

see Sarda L et al

Miettinen A see Pertovaara M et al

Migita K see Hida A et al

Miyanishi K et al. Increased level of apolipoprotein B/apolipoprotein

Al ratio as a potential risk for osteonecrosis, 514

Modrow S see Hemauer A et al Mola EM see Villaverde V et al

Moore AR et al. Destruction of articular cartilage by alpha, macroglobulin elastase complexes: role in rheumatoid arthritis,

Moots RJ et al. Old drug, new tricks: haloperidol inhibits secretion of

proinflammatory cytokines, 585 Mori K see Kawasaki T et al see Ushiyama T et al see Ushiyama T et al
Mori Y see Hatano Y et al
Moriya H see Nakagawa K et al
Môttônen T see Teir J et al
Moutsopoulos HM see Papiris SA et al
Muir KR see O'Reilly SC et al
Muirden K see Bellamy N et al
Munakata Y see Murai C et al
Muna C et al, Rheumatoid arthritis after human parvovirus B19
infection: letter, 130

infection: letter, 130
Murrell GAC see Wong P et al
Muryoi T see Murai C et al

Musiej-Nowakowska E, Ploski R. Pregnancy and early onset pauciarticular juvenile chronic arthritis, 475

Myint AA see Hopkinson N et al

Nagaya H et al. Examination of synovial fluid and serum hyaluronidase activity as a joint marker in rheumatoid arthritis and osteoarthritis patients (by zymography), 186

Nahal-Said R see Reis P et al

Nakagawa K et al. Complement C1s activation in degenerating articular cartilage of rheumatoid arthritis patients:

immunohistochemical studies with an active form specific antibody, 175

Nakajima T see Shin H et al see Ukaji F et al Nakamura H see Hida A et al

see Sekine T et al Nakamura H et al. Expression of mitogen activated protein kinase Nakamura H et al. Expression of mitogen activated protein kinases in labial salivary glands of patients with Sjögren's syndrome, 382 Nakamura M see Murai C et al Nakamura T see Nakamura H et al Negishi M see Hatano Y et al Neidel J see Carroll G et al Nelson JL. Non-host cells in the pathogenesis of autoimmune

Nelson JL. Non-host cells in the pathoge disease: a new paradigm?: leader, 518
Newkirk MM see Cranney A et al Niccoli see Cantini F et al Niccoli see Cantini F et al Nieminen P see Aman S et al Nietfeld L see Kuipers JG et al Ninet J see Duhaut P et al Nishimaki T see Kurokawa M et al Nishimaki T see Kurokawa M et al Nishioka K see Kurokawa M et al Nishioka K see Kurokawa M et al

see Sekine T et al Noguchi Y see Miyanishi K et al Nurmohamed MT et al. Risk of post-discharge venous thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthroplasty. Is prolonged thromboprophylaxis warranted or dangerous?: leader, 392

O'Connor PJ see Veale DJ et al
O'Duffy EK et al. Double blind glucocorticoid controlled trial of
samarium-153 particulate hydroxyapatite radiation synovectomy
for chronic knee synovitis, 554

O'Gorman L see Bellamy N et al O'Gradaigh D see Clark E et al

O'Gradaigh D et al. Hug(h)e(s') ears: an unusual presentation of antiphospholipid syndrome: letter, 65
Ohkubo I see Kawasaki T et al

Ohtsuki Y see Fujita J et al Ohtsuki Y see Fujita J et al Oksenberg J see Lock C et al Okubo M see Kurokawa M et al Olive P see Dougados M et al Olive A see Gumá M et al Olivieri I see Cantini F et al see Gumå M et al see Salvarani C et al Ollier WR see Mattey DL et al

Oostingh G see Bank RA et al Oostveen JCM et al. Successful conservative treatment of rheumatoid subaxial subluxation resulting in improvement of myelopathy, reduction of subluxation, and stabilisation of the cervical spine. A report of two cases, 126

O'Reilly SC et al. Effectiveness of home exercise on pain and

disability from osteoarthritis of the knee: a randomised

controlled trial, 15

Orgles CS see Veale DJ et al

Oristrell J see Coll-Vinent B et al

Ostergaard K et al. Validity of histopathological grading of articular
cartilage from osteoarthritic knee joints, 208

Ota H see Shichikawa K et al

Oxholm P see Slot O et al Özyazgan Y see Tüzün B et al

Padula A see Cantini F et al Paimela L see Dougados M et al see Teir J et al Palazzo E see Hayem G et al

see Sarda L et al Paleolog E see Maini RN et al

Papiris SA et al. Lung involvement in primary Sjögren's syndrome is mainly related to the small airway disease, 61

Papo T et al. Spleen haemorrhagic infarction and hazards of anticoagulation in Wegener's granulomatosis: letter, 654

Parsons W see Veale DJ et al Pascual E see Ivorra J et al Pasternack A see Pertovaara M et al

Patel S. Effect of hormone replacement therapy on bone density in a patient with severe osteoporosis caused by anorexia nervosa: letter, 66

Pavlica P see Cantini F et al Pavica P see Cantini F et al
Pearson S see Lian T et al
Peldan K see Dougados M et al
Pendiebury A see Teir J et al
Pennings AH see Stolk JN et al
Pérez-Alvarez F see Rivera-Cívico F et al

Perkins P, Jones AC. Gout, 611

Perl A. Mechanisms of viral pathogenesis in rheumatic disease: leader, 454

Perniola R et al. Prevalence and clinical features of cryoglobulinaemia in multitransfused β-thalassaemia patients, 698

Pertovaara M et al. Clinical follow up study of 87 patients with sicca

symptoms (dryness of eyes or mouth, or both), 423

Petersen J see Ostergaard K et al

Petersson IF see Boegård T et al Pham B see Cranney A et al Pianon M see Punzi L et al Piette J-C see Papo T et al Piette J-C et al. Antinuclear antibodies in relapsing polychondritis:

letter, 656 Pinède L see Duhaut P et al Pirilä L see Konttinen YT et al

Plant M see Mattey DL et al Ploski R see Musiej-Nowakowska E and Ploski R

Podenphant J see Hansen M et al Poncet J-C see Toussirot E et al

Porter D see Toussitot E et al
Porter D see Irvine S et al
Porter DR see Gordon M-M et al
Porter G see Helliwell PS and Porter G
Pourmand N et al. Ro/SSA and La/SSB specific IgA autoantibodies
in serum of patients with Sjögren's syndrome and systemic lupus

erythematosus, 623

Powell RJ see Kontogiannis V et al
see Kontogiannis V et al

Pukander J see Pertovaara M et al

Punzi L et al. Clinical and laboratory manifestations of elderly onset psoriatic arthritis: a comparison with younger onset disease, 226

Pyne D et al. Getting to the heart of the matter: lesson of the month,

Quinn M et al. A man with intermittent fever and arthralgia: matters

Radjenovic A see Veale DJ et al Ramos D see Susano R et al Ranzi A see Salvarani C et al Rau R see Dougados M et al see Sander O et al
Ravaud P see Reis P et al
Reece RJ see Veale DJ et al

Rees DHE see Axford JS et al Regnard J see Toussirot E et al Reilly PA. How should we manage fibromyalgia?: leader, 325 Reil P et al. Are radiological joint space widths of normal hips

Reis P et al. Are radiological joint space widths of normal hips asymmetrical?, 246
Ridgway JP see Veale DJ et al
Riley GP see Bank RA et al
Ringrose JH. HLA-B27 associated spondyloarthropathy, an autoimmune disease based on crossreactivity between bacteria and HLA-B27?, 598
Ríos Z see Vilá LM et al
Risteli J see Aman S et al
Risteli L see Aman S et al
Rivera E see Vilá LM et al
Rivera-Civico F et al. HLA-B27+ anterior uveitis with or without associated spondyloarthritis: clinical and immunological features: letter, 721

letter, 721
Roberts-Thomson PJ see Roberts-Thomson RA and

Roberts-Thomson PJ see Roberts-Thomson RA and Roberts-Thomson PJ.

Roberts-Thomson RA, Roberts-Thomson PJ. Rheumatic disease and the Australian Aborigine, 266

Robinson E see McQueen FM et al

Rodenburg RJT et al. Superinduction of interleukin 8 mRNA in

activated monocyte derived macrophages from rheumatoid arthritis patients, 648

Rogers J see Shepstone L et al

Rood MJ see Isenberg D et al

Rood MJ et al. Neuropsychiatric systemic lupus erythematosus is associated with imbalance in interleukin 10 promoter haplotypes,

Rosas J see Ivorra J et al
Ross PD see Aoyagi K et al
Rossini P see Punzi L et al
Rothman MT see Pyne D et al
Rothschild BM, Wysenbeek AJ. Staphylococcal septic arthritis in

rabbits: letter, 386
Roussos C see Papiris SA et al
Roux S see Hayem G et al
Rudling O see Boegård T et al
Russell AS see Ferrari R and Russell AS

Sack U see Schädlich H et al Sakiyama H see Nakagawa K et al Salter DM see Ostergaard K et al Salvarani C see Cantini F et al

see Guma M et al
Salvarani C et al. HLA-DRB1 alleles associated with polymyalgia rheumatica in northern Italy: correlation with disease severity, 303

Samaniego F see Rivera-Civico F et al Sampson M see Venkatachalam S et al Sander O et al. Prospective six year follow up of patients withdrawn from a randomised study comparing parenteral gold salt and methotrexate, 281

Sandmark H et al. Osteoarthrosis of the knee in men and women in association with overweight, smoking, and hormone therapy, 151
Santavirta S see Konttinen YT et al
see Konttinen YT et al
Sany J see Hayem G et al

Sany J see Hayerin Get at see Jorgensen C et al Sanz A see Villaverde V et al Sarda L et al. 111Indium antimyosin antibody imaging of primary myocardial invovement in systemic diseases, 90

myocardial invovement in systemic diseases, 90
Sariyar M see Apaydin S et al
Sasaki T see Murai C et al
Savolainen HA see Belt EA et al
Schaefer CJ et al. Influence of long term silicone implantation on type II collagen induced arthritis in mice, 503
Schaible TF see Harriman G et al
Schattenkirchner M see Dougados M et al

Schädlich H et al. Anti-inflammatory effects of systemic anti-tumour necrosis factor α treatment in human/murine SCID arthritis, 434

Schölmerich J see Hemauer A et al Schiavon F see Punzi L et al Schneider PM see Höhler T et al Scholten RJPM see de Winter AF et al Schwieterman WD. FDA perspective on anti-TNF treatments, 190

Scott D see Clark E et al Scott DGI see O'Gradaigh D et al

Scott DGI see O'Gradaign D et at Seebbag M see Vincent C et al Seedhom BB see Shepherd DET and Seedhom BB Sekine T et al. Type II collagen is a target antigen of clonally expanded T cells in the synovium of patients with rheumatoid thritis, 446

arthritis, 446
Selby PL see Smith SJ et al
Serre G see Vincent C et al
Shanahan EM et al. Pulse methylprednisolone therapy for arthritis
causing muscle weakness, 521
Shao Q see Shin H et al

 Shao Q see Shin H et al
 Shepherd DET, Seedhom BB. Thickness of human articular cartilage in joints of the lower limb, 27
 Shepstone L et al. The shape of the distal femur: a palaeopathological comparison of eburnated and non-eburnated femora, 72 Shibata S see Murai C et al

Shichikawa K et al. Changes in the incidence and prevalence of rheumatoid arthritis in Kamitonda, Wakayama, Japan, 1965-1996, 751

Shimizu C see Ukaji F et al

Shin H et al. Thrombin receptor mediated signals induce expressions

of interleukin 6 and granulocyte colony stimulating factor via NF-kB activation in synovial fibroblasts, 55

Shirazi I see Tishler M et al

Silman A see Birrell F et al

Silman A see Birrell F et al
Silva JAPD see Moore AR et al
Silvennoinen T see Konttinen YT et al
Silverman B see Shepstone L et al
Singer II see van Meurs JBJ et al
Skopouli FN see Papiris SA et al
Slot O et al. Soluble urokinase plasminogen activator receptor in
plasma of patients with inflammatory rheumatic isoorders;

increased concentrations in rheumatoid arthritis, 488
Smith MD see Shanahan EM et al
Smith SJ see Tetlow LC et al

Smith SJ et al. Autocrine control of vitamin D metabolism in synovial cells from arthritic patients, 372

Smolen J see Köller M et al
Smolen JS see Breedveld FC et al
see Furst DE et al
So A see Dudler J et al

Sokka T, Hannonen P. Utility of disease modifying antirheumatic drugs in "sawtooth" strategy. A prospective study of early rheumatoid arthritis patients up to 15 years, 618

Sørensen SF see Hansen M et al Sørsa T see Konttinen YT et al Søva L see Carroll G et al Sperling F see Schädlich H et al Sperling F see Schädlich H et al
Steere AC see Axford JS et al
Steinman L see Lock C et al
Stephens RW see Slot O et al
Stetson SS see Torre-Amione G et al
Stevens CR see Abbot SE et al
Stewart N see McQueen FM et al
Stolk JN et al. Reduced purine 5'-nucleotidase activity in

Stolk JN et al. Reduced purine 5'-nucleotidase activity in lymphocytes of patients with systemic lupus erythematosus: results of a pilot study, 122
Stoltenberg M see Hansen M et al
Strange RC see Mattey DL et al
Straub RH see Hemauer A et al
Studnicka-Benke A see Köller M et al
Sturrock RD see Hamilton J et al
Sugamura K see Murai C et al
Sugamura K see Miyanishi K et al
Susano R et al. Amiodarone induced lupus: letter, 655
Svenungsson E see Pourmand N et al
Swan A see Dieppe P and Swan A
Symmons D see Quinn M et al

Symmons D see Quinn M et al

Tagaki M see Konttinen YT et al
Taiwo YO see Freemont AJ et al
Tajima M see Fujii K et al
Takagi M see Fujii K et al
Takagi M see Konttinen YT et al
Takahashi Y see Murai C et al
Takasaki I see Shin H et al
Takasaki I see Shin H et al
Takasaki I see Shin H et al
Takeuchi HT see Hatano Y et al
Takeuchi T see Fujita J et al
Takeuchi T see Fujita J et al
Tan PLJ see McQueen FM et al
Taylor PC see Maini RN et al
Taylor PG see Maini RN et al
Teir J et al. Outcome of patients with early rheumatoid arthritis over
a two year period: letter, 323
Tekoppele JM see Bank RA et al
Tena X see Gumä M et al
Tervaert JWC see Kobold ACM et al Tagaki M see Konttinen YT et al

Tervaert JWC see Kobold ACM et al
Tesar P see Bellamy N et al
Tetlow LC et al. Vitamin D receptors in the rheumatoid lesion: expression by chondrocytes, macrophages, and synoviocytes, 118 Theofilopoulos AN, Lawson BR. Tumour necrosis factor and other

cytokines in murine lupus, 149

Thomson EA see Maiden N et al

Tishler M et al. Hydroxychloroquine treatment for primary Sjögren's syndrome: its effect on salivary and serum inflammatory markers, 253

Toivanen A see Toivanen P and Toivanen A Toivanen P, Toivanen A. Two forms of reactive arthritis?, 737

Tokioka T see Shin H et al Tokuda M see Fujita I et al

Tominaga M see Hida A et al
Tong TQT see Rood MJ et al
Toribio M see Rivera-Civico F et al
Torre-Amione G et al. Clinical implications of tumour necrosis
factor a antagonism in patients with congestive heart failure, I103

Toussirot E et al. Abnormal autonomic cardiovascular control in

Toussirot E et al. Abnormal autonomic cardiovascular control in ankylosing spondylitis, 481
Toyoguchi T see Nakagawa K et al
Traksel R see Jansen TLTA et al
Tsay GJ see Tzang B-S et al
Tsuchida T see Nakagawa K et al
Tsuji M see Fujii K et al
Tsujimoto M see Shichikawa K et al
Tuzin B et al. Neutrophil chemotaxis in Behçet's syndrome: letter,
658

658

Tuzün Y see Tüzün B et al

Tyrrell PJ see Gamble GE et al

Tzang B-S et al. Presentation of autoantibody to proliferating cell
nuclear antigen in patients with chronic hepatitis B and C virus infection, 630

Ueda S-I see Kurokawa M et al Ueyama H see Kawasaki T et al Uhlig T et al. Sicca symptoms, saliva and tear production, and disease variables in 636 patients with rheumatoid arthritis, 415

Ukaji F et al. Serum samples of patients with rheumatoid arthritis contain a specific autoantibody to "denatured" aldolase A in the

contain a specific autoantibody to "dena osteoblast-like cell line, MG-63, 169 Ulfgren A-K see Cunnane G et al Ulkü U see Apaydin S et al Urbano-Márquez A see Coll-Vinent B et al Urowitz MB see Bruce IN et al Ushiyama T see Kawasaki T et al see Shichikawa K et al

Ushiyama T et al. Association of oestrogen receptor gene polymorphisms with age at onset of rheumatoid arthritis, 7 Uusitalo H see Pertovaara M et al

Vaith P see Hemauer A et al
Valleala H see Konttinen YT et al
van de Laar MAFJ see Oostveen JCM et al
van de Loo AAJ see van Meurs JBJ et al
van de Loo FAJ see van den Berg WB et al
van den Berg WB see van Meurs JBJ et al
van den Berg WB et al. Role of tumour necrosis factor a in
an den Berg WB et al. Role of tumour necrosis factor a in

experimental arthritis: separate activity of interleukin 1β in chronicity and cartilage destruction, **140** van den Hoogen FHJ see Rodenburg RJT et al van den Meiracker AH see Barendregt PJ et al van de Putte L. Changing of the guard: leader, 391 van de Putte LBA see Haagsma CJ et al see Rodenburg RJT et al see Stolk JN et al

van der Heijde GL see Barendregt PJ et al

van der Heijden GL see Barendregt F] et al van der Heijden GJMG et al. No effect of bipolar interferential electrotherapy and pulsed ultrasound for soft tissue shoulder disorders: a randomised controlled trial, 530 van der Linden MW see Rood MJ et al. van der Reijden WA et al. Treatment of oral dryness related complaints (xerostomia) in Sjögren's syndrome: review, 465 complexers SLM and Treatment of Creabels.

van Deventer SJH. Anti-TNF antibody treatment of Crohn's disease, I114

van Lent PLEM see van Meurs JBJ et al
van Mameren H see van der Heijden GJMG et al
van Meurs JBJ et al. Increased vulnerability of postarthritic cartilage
to a second arthritic insult: accelerated MMP activity in a flare up of arthritis, 350

van Oppenraaij-Emmerzaal D see Haagsma CJ et al

van Rijswijk MH see Haagsma CJ et al van Rijswijk MH see Hazenberg BPC et al van Roon JAG see Verhoef CM et al van Royen BJ, de Gast A. Lumbar osteotomy for correction of thoracolumbar kyphotic deformity in ankylosing spondylitis. A structured review of three methods of treatment: review, 399

van Schaardenburg D see de Winter AF et al

van Venrooij WJ see Rodenburg RJT et al van Vugt AC see van Vugt RM et al van Vugt RM et al. Chronic wrist pain: diagnosis and management. Development and use of a new algorithm, 665

Vazquez-Caruncho M see Garcia-Porrua C et al Veale DJ et al. Intra-articular primatised anti-CD4: efficacy in resistant rheumatoid knees. A study of combined arthroscopy, magnetic resonance imaging, and histology, 342 Veerman ECI see van der Reijden WA et al

Veld AJMI see Barendregt PJ et al

Venkatachalam S et al. An unusual cause of back pain in
osteoporosis: lessons from a spinal lesion, 327

Verheijden JJD see van der Heijden GJMG et al

Verhoef CM et al. The immune suppressive effect of dexamethasone in rheumatoid arthritis is accompanied by upregulation of interleukin 10 and by differential changes in interferon γ and interleukin 4 production, 49 Verweij CL see Rood MJ et al

Verweij CL. Tumour necrosis factor gene polymorphisms as severity markers in rheumatoid arthritis, 120

Veys EM see Vincent C et al Vianen ME see Verhoef CM et al

Vianen ME see Verhoef CM et al
Vilain D see Sarda L et al
Vilardell C see Coll-Vinent B et al
Vila LM see Vilà LM et al
Vilà LM see Vilà LM et al
Vilà LM et al. Lymphocyte populations and cytokine concentrations
in pericardial fluid from a systemic lupus erythematosus patient
with cardiac tamponade: letter, 720
Villaverde V et al. Leg bone pain syndrome in a kidney transplant
patient treated with tacrolimus (FK506): letter, 653
Vincent C et al. Anti-perinuclear factor compared with the so called
"antikeratin" antibodies and antibodies to human epidermis
filagerin, in the diagnosis of arthritides, 42

filaggrin, in the diagnosis of arthritides, 42 Vingård E see Sandmark H et al

Virtanen I see Konttinen YT et al Vissink A see van der Reijden WA et al

Wahren-Herlenius M see Pourmand N et al
Walker D see Bellamy N et al
Wasnich RD see Aoyagi K et al
Wendling D see Toussirot E et al
Weston VC et al. Clinical features and outcome of septic arthritis in a
single UK Health District 1982–1991, 214
Whish WJD see Abbot SE et al
Williamson K see Courtney BA et al

Williamson K see Courtney PA et al Willoughby DA see Moore AR et al Windrum P et al. An unusual cause of atlanto-axial subluxation: lesson of the month, 679

Witt C et al. Pulmonary involvement in diffuse cutaneous systemic

Witt C et al. Pulmonary involvement in diffuse cutaneous systemi sclerosis: broncheoalveolar fluid granulocytosis predicts progression of fibrosing alveolitis, 635
Wolfe F, Kong SX. Rasch analysis of the Western Ontario MacMaster Questionnaire (WOMAC) in 2205 patients with osteoarthritis, rheumatoid arthritis, and fibromyalgia, 563
Wollenhaupt J see Kuipers JG et al
Wolters PJMC see van der Heijden GJMG et al
Wong P et al. An unusual cause of shoulder pain, 264
Woo P see Isenberg D et al
Woolev PH see Schaefer CJ et al

Woo P see Isenberg D et al
Wooley PH see Schaefer CJ et al
Woolf A see Doherty M et al
Woolley DE see Tetlow LC et al
Wordsworth P see Axford JS et al
Wright GD see Windrum P et al
Wysenbeek AJ see Rothschild BM and Wysenbeek AJ

Xu IW see Konttinen YT et al.

Yagüe J see Coll-Vinent B et al Yamaguchi K see Nakagawa K et al Yamamoto K see Kurokawa M et al Yamamoto K see Kurokawa M et al see Sekine T et al Yamamoto T see Miyanishi K et al Yamamaki S see Nakamura H et al Yaron I see Tishler M et al Yaron M see Tishler M et al Yavouz M see Dalkiliç E et al Yavuz M see Apaydin S et al see Tüzün B et al Yeoman S see McQueen FM et al Yeoman S see Nagaya H et al

Ymagata S see Nagaya H et al Ymagata T see Nagaya H et al Yoshino S-I see Kurokawa M et al

see Sekine T et al Young SP see Moots RJ et al Youssef PP see Wong P et al Yurdakul S see Tüzün B et al Yurtkuran M see Dalkiliç E et al

Zeidler H see Dougados M et al see Hülsemann JL and Zeidler H see Kuipers JG et al see Kuipers JG et al

## **VOLUME 58 • SUBJECT INDEX**

ADAM 10, Detection of anti-ADAM 10 antibody in serum of a patient with pulmonary fibrosis associated with dermatomyositis,

adhesion, Expression of adhesion molecules on synovial fluid and peripheral blood monocytes in patients with inflammatory joint disease and osteoarthritis, 709

adhesion molecules, Anti-tumour necrosis factor specific antibody (infliximab) treatment provides insights into the pathophysiology

of rheumatoid arthritis, 156 Circulating soluble adhesion molecules in patients with giant cell arteritis. Correlation between soluble intercellular adhesic molecule-1 (sICAM-1) concentrations and disease activity, 189

Tumour necrosis factor a stimulated rheumatoid synovial microvas-cular endothelial cells exhibit increased shear rate dependent leucocyte adhesion in vitro, 573

adjuvant arthritis, PEGylated recombinant human soluble tumour necrosis factor receptor type I (r-Hu-sTNF-RI): novel high affin-ity TNF receptor designed for chronic inflammatory diseases, 173

adult juvenile idiopathic arthritis, Recurrent lung shadowing in adult juvenile idiopathic arthritis: lesson of the month, 742 adult onset Still's disease, A man with intermittent fever and arthralgia: matters arising, 659

air-arthrography, Placement of intra-articular injections verified by

mini air-arthrography, 641

alcohol, Increased level of apolipoprotein B/apolipoprotein A1 ratio as a potential risk for osteonecrosis, 514

aldolase, Decreased serum biochemical markers of muscle origin in patients with ankylosing spondylitis, 541 aldolase A, Serum samples of patients with rheumatoid arthritis contain a specific autoantibody to "denatured" aldolase A in the tain a specific autoantibody to "de osteoblast-like cell line, MG-63, 169

alpha, antitrypsin, Destruction of articular cartilage by alpha roglobulin elastase complexes: role in rheumatoid arthritis, 109

alpha, macroglobulin, Destruction of articular cartilage by alpha, croglobulin elastase complexes: role in rheumatoid arthritis,

alveolitis, Pulmonary involvement in diffuse cutaneous systemic scle-rosis: broncheoalveolar fluid granulocytosis predicts progression of fibrosing alveolitis, 635

amiodarone, Amiodarone induced lupus: letter, 655

amyloid A protein, A quantitative method for detecting deposits of amyloid A protein in aspirated fat tissue of patients with arthritis, 96

androgen receptor, Polymorphic CAG repeats of the androgen receptor gene and rheumatoid arthritis, 500

angiogenesis, Anti-tumour necrosis factor specific antibody (infliximab) treatment provides insights into the pathophysiology of rheumatoid arthritis, 156

ankle, Thickness of human articular cartilage in joints of the lower limb, 27

ankylosing spondylitis, Abnormal autonomic cardiovascular control

in ankylosing spondylitis, 481
Ankylosing spondylitis in monozygotic twins: studies on immunological parameters, 428
Decreased serum biochemical markers of muscle origin in patients

with ankylosing spondylitis, 541

Lumbar osteotomy for correction of thoracolumbar kyphotic deformity in ankylosing spondylitis. A structured review of three

methods of treatment: review, 399
anorexia nervosa, Effect of hormone replacement therapy on bone density in a patient with severe osteoporosis caused by anorexia nervosa: letter, 66

anterior uveitis, HLA-B27+ anterior uveitis with or without associated spondyloarthritis: clinical and immunological features: letter,

antibodies, Preliminary results of early clinical trials with the fully human anti-TNFa monoclonal antibody D2E7, I70 anti-centromere antibody, HTLV-I associated Sjögren's syndrome

is aetiologically distinct from anti-centromere antibodies positive Sjögren's syndrome, 320

Immunological anticytokines, evaluation of cytokine anticytokine immunotherapy in vivo: what have we learnt?: review,

antifilaggrin autoantibodies, Anti-perinuclear factor compared with the so called "antikeratin" antibodies and antibodie human epidermis filaggrin, in the diagnosis of arthritides, 42

antikeratin antibodies, Anti-perinuclear factor compared with the

so called "antikeratin" antibodies and antibodies to human epidermis filaggrin, in the diagnosis of arthritides, 42

antimyosin antibody, "I'Indium antimyosin antibody imaging of primary myocardial invovement in systemic diseases, 90

antineutrophil eytoplasmic antibodies, Microscopic polyangiitis (microscopic polyarteritis) with late emergence of generalised Wegener's granulomatosis, 644 Monocyte activation in patients with Wegener's granulomatosis, 237

antinuclear antibodies. Antinuclear antibodies in relapsing olychondritis: letter, 656

anti-PCNA antibodies, Presentation of autoantibody to proliferating cell nuclear antigen in patients with chronic hepatitis B and C virus infection, 630

antiperinuclear factor, Anti-perinuclear factor compared with the so called "antikeratin" antibodies and antibodies to human epidermis filaggrin, in the diagnosis of arthritides, 42

antiphospholipid antibodies, Hug(h)e(s') ears: presentation of antiphospholipid syndrome: letter, 65 an

antiphospholipid syndrome, Ear, ear, what's going on in Norfolk?:

anti-TNF antibody treatment, Anti-TNF antibody treatment of Crohn's disease, I114 anti-TNF treatments, FDA perspective on anti-TNF treatments,

Too

anti-TNF $\alpha$ , The rationale for the current boom in anti-TNF $\alpha$  treatment. Is there an effective means to define therapeutic targets for drugs that provide all the benefits of anti-TNFa and minimise hazards?, 127

anti-tumour necrosis treatment, Anti-tumour necrosis factor specific antibody (infliximab) treatment provides insights into the pathophysiology of rheumatoid arthritis, 156

apatite crystals, Crystals in arthritis: new age nonsense or novel therapeutic target?: matters arising, 723

apolipoprotein B/apolipoprotein A1 ratio, Increased level of apoli-

poprotein Brapolipoprotein Al ratio as a potential risk for osteonecrosis, 514

apoptosis, DAP kinase and DAP-3: novel positive mediators of

Increased apoptotic peripheral blood neutrophils in systemic lupus erythematosus: relations with disease activity, antibodies to double stranded DNA, and neutropenia, 309

arthritis, A quantitative method for detecting deposits of amyloid A

protein in aspirated fat tissue of patients with arthritis, 96 Analysis of 16 different matrix metalloproteinases (MMP-1 to

MMP-20) in the synovial membrane: different profiles in trauma and rheumatoid arthritis, 691 Expression of adhesion molecules on synovial fluid and peripheral

blood monocytes in patients with inflammatory joint disease and osteoarthritis, 709

Influence of long term silicone implantation on type II collagen induced arthritis in mice, 503
Influence of sulphasalazine, methotrexate, and the combination of

both on plasma homocysteine concentrations in patients with rheumatoid arthritis, 79

Pulse methylprednisolone therapy for arthritis causing muscle weakness, 521

arthritis mutilans, Assessment of mutilans-like hand deformities in chronic inflammatory joint diseases. A radiographic study of 52 patients, 250

arthroplasty, Projecting the need for hip replacement over the nex three decades: influence of changing demography and threshold for surgery, 569

arthroscopy, Intra-articular primatised anti-CD4; efficacy in resistant rheumatoid knees. A study of combined arthroscopy, magnetic resonance imaging, and histology, 342

articular cartilage, Complement C1s activation in degenerating articular cartilage of rheumatoid arthritis patients: immunohisto-chemical studies with an active form specific antibody, 175

Thickness of human articular cartilage in joints of the lower limb, 27 atlanto-axial subluxation, An unusual cause of atlanto-axial subluxation: lesson of the month, 679

atrial mysomas, Getting to the heart of the matter: lesson of the month,

auranofin, Does sulphasalazine cause drug induced systemic lupus erythematosus? No effect evident in a prospective randomised trial of 200 rheumatoid patients treated with sulphasalazine or auranofin over five years, 288

Australian Aborigines, Rheumatic disease and the Australian Aborigine, 266

autoantibodies, Influence of long term silicone implantation on type II collagen induced arthritis in mice, 503 autoantibody, Detection of anti-ADAM 10 antibody in serum of a

patient with pulmonary fibrosis associated with dermatomyositis,

Serum samples of patients with rheumatoid arthritis contain a spe-cific autoantibody to "denatured" aldolase A in the osteoblast-like cell line, MG-63, 169

autoimmune, Increased IgA rheumatoid factor and V<sub>H</sub>1 associated cross reactive idiotype expression in patients with Lyme arthritis and neuroborreliosis, 757

autoimmune disease, Non-host cells in the pathogenesis of autoimmune disease: a new paradigm?: leader, 518

autoimmune rheumatic disorders, Lung involvement in primary Sjögren's syndrome is mainly related to the small airway disease,

autoimmunity, Pregnancy and early onset pauciarticular juvenile chronic arthritis, 475

autonomic dysfunction, Parasympathetic failure does not contribute

to ocular dryness in primary Sjögren's syndrome, 746 autonomic nervous system, Abnormal autonomic cardiovascular

control in ankylosing spondylitis, 481
avascular necrosis, Systemic vasculitis or not? That is the question,

back pain, An unusual cause of back pain in osteoporosis: lessons from a spinal lesion, 327

Polymyalgia and low back pain: a common cause not to be missed: lesson of the month, 462

bacteria, HLA-B27 associated spondyloarthropathy, an autoimmune disease based on crossreactivity between bacteria and HLA-B27?. 598

bacterial arthritis, Two forms of reactive arthritis?, 737 baroreflex sensitivity, Abnormal autonomic cardiovascular control

in ankylosing spondylitis, 481 Behçet's syndrome, A successful renal transplantation syndrome: letter, 719
Neutrophil chemotaxis in Behçet's syndrome: letter, 658 A successful renal transplantation in Behçet's

biopsy, Biopsy proven and biopsy negative temporal arteritis:
differences in clinical spectrum at the onset of the disease, 335
body mass index, Osteoarthrosis of the knee in men and women in

association with overweight, smoking, and hormone therapy, 151 bone density, Effect of hormone replacement therapy on bone density in a patient with severe osteoporosis caused by anorexia nervosa: letter, 66

bone mass, A randomised trial of differentiated prednisolone treatment in active rheumatoid arthritis. Clinical benefits and skeletal side effects, 713

bone remodelling, The shape of the distal femur: a palaeopathologi-cal comparison of eburnated and non-eburnated femora, 72

bone scintigraphy, Bone scintigraphy in chronic knee pain: comparison with magnetic resonance imaging, 20

Bouchard's nodes, Heberden's and Bouchard's nodes, 675 breast feeding, Pregnancy and early onset pauciarticular juvenile chronic arthritis, 475

bronchoalveolar lavage, Pulmonary involvement in diffuse cutaneous systemic sclerosis: broncheoalveolar fluid granulocytosis predicts progression of fibrosing alveolitis, 635

calcium pyrophosphate dihydrate crystals., Most calcium pyrophosphate crystals appear as non-birefringent, 582 cardiac assessment, Abnormal autonomic cardiovascular control in

ankylosing spondylitis, 481

carpus, Magnetic resonance imaging of the wrist in early rheumatoid arthritis reveals progression of erosions despite clinical arthritis reveals progression improvement, 156

cartilage, Role of tumour necrosis factor α in experimental arthritis: separate activity of interleukin 1β in chronicity and cartilage destruction, I40

cartilage degradation, In situ zymographic localisation of type II collagen degrading activity in osteoarthritic human articular cartilage, 357

tilage destruction, Increased vulnerability of postarthritic cartilage to a second arthritic insult: accelerated MMP activity in a flare up of arthritis, 350 cartilage

tilage metabolism, Effects of methotrexate on cartilage metabolism: matters arising, 196 echolamines, Abnormal autonomic cardiovascular control in

catecholamines, Abnormal ankylosing spondylitis, 481

causes of death, Mortality in rheumatoid arthritis patients with disease onset in the 1980s, 11

cellular adhesion molecules, Effects of anti-rheumatic herbal medi-cines on cellular adhesion molecules, 366

cerebral haemorrhage, Asthma and epididymitis: the calm before the storm, 731

Anti-tumour necrosis factor specific antibody chemokines, (infliximab) treatment provides insights into the pathophysiology of rheumatoid arthritis, 156

Macrophage inflammatory protein 1 alpha expression by synovial fluid neutrophils in rheumatoid arthritis, 297

Chlamydia trachomatis, Optimised sample preparation of synovial fluid for detection of *Chlamydia trachomatis* DNA by polymerase chain reaction, 103

chondrocalcinosis, Most calcium pyrophosphate crystals appear as non-birefringent, 582

chondroitin sulphate, Chondroitin sulphation patterns in synovial fluid in osteoarthritis subsets, 441

**chronic hepatitis,** Presentation of autoantibody to proliferating cell nuclear antigen in patients with chronic hepatitis B and C virus infection, 630

chronic wrist pain, Chronic wrist pain: diagnosis and management. Development and use of a new algorithm, 665

Churg-Strauss syndrome, Asthma and epididymitis: the calm before the storm, 731

cladribine, Cladribine in the treatment of systemic lupus rythematosus nephritis: letter, 653

clinical algorithm, Chronic wrist pain: diagnosis and management. Development and use of a new algorithm, 665

clinical features, Biopsy proven and biopsy negative temporal arteri-

tis: differences in clinical spectrum at the onset of the disease, 335 clinical trial, No effect of bipolar interferential electrotherapy and pulsed ultrasound for soft tissue shoulder disorders: a randomised controlled trial, 530

Preliminary results of early clinical trials with the fully human anti-

TNFα monoclonal antibody D2E7, 170 Summary of clinical trials in rheumatoid arthritis using infliximab, an anti-TNFα treatment, 161

collagen, Lysylhydroxylation and non-reducible crosslinking of human supraspinatus tendon collagen: changes with age and in chronic rotator cuff tendinitis, 35 The value of synovial fluid analysis in the assessment of knee joint

destruction in arthritis in a three year follow up study, 559

collagenase, Expression of laminins and their integrin receptors in different conditions of synovial membrane and synovial membrane-like interface tissue, 683

combination therapy, Combination therapy in early rheumatoid arthritis: a randomised, controlled, double blind 52 week clinical trial of sulphasalazine and methotrexate compared with the single components, 220

Utility of disease modifying antirheumatic drugs in "sawtooth" strategy. A prospective study of early rheumatoid arthritis patients up to 15 years, 618

complement C1s, Complement C1s activation in degenerating articular cartilage of rheumatoid arthritis patients: immunohistochemical studies with an active form specific antibody, 175

complementary medicine, Evidence-based complementary medi-cine: A contradiction in terms?: leader, 69

computed tomography, Lung involvement in primary Sjögren's syndrome is mainly related to the small airway disease, 61
consensus statement, Access to disease modifying treatments for

rheumatoid arthritis patients, I129

ratio as a potential risk for osteonecrosis, 514
Placement of intra-arricular intentions. corticosteroid, Increased level of apolipoprotein B/apolipoprotein A1

verified by mini

riacement of intra-articular injections verified by mini air-arthrography, 641

The immune suppressive effect of dexamethasone in rheumatoid arthritis is accompanied by upregulation of interleukin 10 and by differential changes in interferon \( \gamma \) and interleukin 4 production, 10

creatine kinase, Decreased serum biochemical markers of muscle origin in patients with ankylosing spondylitis, 541

Crohn's disease, Anti-TNF antibody treatment of Crohn's disease,

crosslinks. Lysylhydroxylation and non-reducible crosslinking of human supraspinatus tendon collagen: changes with age and in chronic rotator cuff tendinitis, 35

cryoglobulinaemia, Prevalence and clinical features of cryoglobulinaemia in multitransfused  $\beta$ -thalassaemia patients, 698

crystal arthritides, Most calcium pyrophosphate crystals appear as non-birefringent, 582

crystals, Identification of crystals in synovial fluid: leader, 261 CTLA-4, The A-G polymorphism in exon 1 of the CTLA-4 gene is

not associated with systemic lupus erythematosus, 193 cyclophosphamide, Asthma and epididymitis: the calm before the

cytochrome P450, CYP2C19 genotype does not represent a gene predisposition in idiopathic systemic lupus erythematosus, 182

cytokine, Thrombin receptor mediated signals induce expressions of interleukin 6 and granulocyte colony stimulating factor via NF-κB activation in synovial fibroblasts, 55

cytokine network, Anti-tumour necrosis factor specific antibody (infliximab) treatment provides insights into the pathophysiology of rheumatoid arthritis, 156

cytokines, Anti-inflammatory effects of systemic anti-tumour necrosis factor of treatment in human/murine SCID arthritis, 434

Immunological evaluation of cytokine and anticytokine immunotherapy in vivoc what have we learnt?: review, 136

Immunomodulation by thalidomide and thalidomide analogues,

Lymphocyte populations and cytokine concentrations in pericardial fluid from a systemic lupus erythematosus patient with cardiac tamponade: letter, 720
Superinduction of interleukin 8 mRNA in activated monocyte

derived macrophages from rheumatoid arthritis patients, 648 Tumour necrosis factor and other cytokines in murine lupus, 149

DAP kinase, DAP kinase and DAP-3: novel positive mediators of

apoptosis, 114

DAP-3, DAP kinase and DAP-3: novel positive mediators of apoptosis, I14

deformity, A measure of limited joint motion and deformity correlates with HLA-DRB1 and DQB1 alleles in patients with rheumatoid arthritis, 703

demographics, Projecting the need for hip replacement over the next three decades: influence of changing demography and threshold for surgery, 569

demyelinating disease, The role of TNFa and lymphotoxin in demyelinating disease, I121

demyelinating disease, 1121
denature, Serum samples of patients with rheumatoid arthritis contain a specific autoantibody to "denatured" aldolase A in the osteoblast-like cell line, MG-63, 169
dermatomyositis, Detection of anti-ADAM 10 antibody in serum of a patient with pulmonary fibrosis associated with dermatomyositis, 770
dexamethasone, The immune suppressive effect of dexamethasone in rheumatoid arthritis is accompanied by upregulation of interleukin 10 and by differential changes in interferon γ and interleukin 4 production, 49
diagnostic classification, Diagnostic classification of shoulder disorders: interobserver agreement and determinants of disagreement, 272

272

diagnostic validity, Diagnostic evaluation of classification criteria for rheumatoid arthritis and reactive arthritis in an early synovitis outpatient clinic, 278

differential diagnosis, Chronic wrist pain: diagnosis and management. Development and use of a new algorithm, 665 disease activity, A randomised trial of differentiated prednisolone treatment in active rheumatoid arthritis. Clinical benefits and skeletal side effects, 713

Factors associated with fatigue in patients with systemic lupus ervthematosus, 379

disease modifying anti-rheumatic drugs, Early referral, diagnosis, and treatment of rheumatoid arthritis: evidence for changing medical practice, 510
Safety, cost and effectiveness issues with disease modifying anti-rheumatic drugs in rheumatoid arthritis, 186
Utility of disease modifying antirheumatic drugs in "sawtooth"

strategy. A prospective study of early rheumatoid arthritis patients up to 15 years, 618

disease modifying treatment, Access to dise treatments for rheumatoid arthritis patients, I129 disease modifying

disease onset, Mortality in rheumatoid arthritis patients: matters aris-

ing. 723

disease severity, HLA-DRB1 alleles associated with polymyalgia rheumatica in northern Italy: correlation with disease severity, 303 disease severity marker, Tumour necrosis factor gene polymorphisms as severity markers in rheumatoid arthritis, I20 DNA sequencing, Characterisation of T cell clonotypes that accumulated in multiple joints of patients with rheumatoid arthritis, 1546

arthritis, 546

early arthritis, Diagnostic evaluation of classification criteria for rheumatoid arthritis and reactive arthritis in an early synovitis outpatient clinic, 278

early treatment, Early referral, diagnosis, and treatment of rheumatoid arthritis: evidence for changing medical practice, 510

ecstasy, A concealed cause of recurrent renal failure in a patient with ecstasy, A concealed cause of recurrent renar is juvenile chronic arthritis, 396 editor, Changing of the guard: leader, 391 From Nottingham to Nijmegen: leader, 390 education, Guidelines for rheumatology

education, Guidelines curriculum, 133 undergraduate core

elderly onset arthritis, Clinical and laboratory manifestations of elderly onset psoriatic arthritis: a comparison with younger onset disease, 226

ELISPOT, Ankylosing spondylitis in monozygotic twins: studies on

immunological parameters, 428 endothelium, Tumour necrosis factor a stimulated rheumatoid synovial microvascular endothelial cells exhibit increased shear rate dependent leucocyte adhesion in vitro, 573

erythrocyte sedimentation rate, Genotyping for disease associated HLA DR β1 alleles and the need for early joint surgery in

rheumatoid arthritis: a quantitative evaluation, 114

exercise, Effectiveness of home exercise on pain and disability from osteoarthritis of the knee: a randomised controlled trial, 15

experimental models, Influence of long term silicone implantation on type II collagen induced arthritis in mice, 503

fat tissue, A quantitative method for detecting deposits of amyloid A protein in aspirated fat tissue of patients with arthritis, 96 fatigue, Factors associated with fatigue in patients with systemic lupus

erythematosus, 379

Federal Drug Agency, FDA perspective on anti-TNF treatments, 190

femoral head, Systemic vasculitis or not? That is the question, 591 fibroblast, Autocrine control of vitamin D metabolism in synovial cells from arthritic patients, 372

cells from arthritic patients, 372
fibromyalgia, How should we manage fibromyalgia?: leader, 325
Rasch analysis of the Western Ontario MacMaster Questionnaire
(WOMAC) in 2205 patients with osteoarthritis, rheumatoid
arthritis, and fibromyalgia, 563
FK506, Leg bone pain syndrome in a kidney transplant patient treated
with tacrolimus (FK506): letter, 653
flow cytometry, Monocyte activation in patients with Wegener's
granulomatosis, 237

gelatinase, Analysis of 16 different matrix metalloproteinases (MMP-1 to MMP-20) in the synovial membrane: different profiles in trauma and rheumatoid arthritis, 691 genetic polymorphism, CYP2C19 genotype does not represent a genetic predisposition in idiopathic systemic lupus erythematosus,

etics, Neuropsychiatric systemic lupus erythematosus is associated with imbalance in interleukin 10 promoter haplotypes, genetics.

giant cell arteritis, Biopsy proven and biopsy negative temporal arteritis: differences in clinical spectrum at the onset of the disease, 335

disease, 335

Circulating soluble adhesion molecules in patients with giant cell arteritis. Correlation between soluble intercellular adhesion molecule-1 (sICAM-1) concentrations and disease activity, 189 glutathione S-transferase, Association of polymorphism in glutathione S-transferase loci with susceptibility and outcome in rheumatoid arthritis: comparison with the shared epitope, 164 glycosaminoglycans, Destruction of articular cartilage by alpha, and the shared epitope, 164 glycosaminoglycans, Destruction of articular cartilage by alpha,

macroglobulin elastase complexes: role in rheumatoid arthritis,

gold, Prospective six year follow up of patients withdrawn from a ran-domised study comparing parenteral gold salt and methotrexate, 281

gout, Gout, 611

granulomatosis, Nasal manifestations of rheumatic diseases: leader,

haloperidol, Old drug, new tricks: haloperidol inhibits secretion of proinflammatory cytokines, 585

health status, Factors associated w systemic lupus erythematosus, 379 with fatigue in patients with heart failure, Clinical implications of tumour necrosis factor a antagonism in patients with congestive heart failure, I103

heat shock proteins, Anti-heat shock protein 70 kDa and 90 kDa antibodies in serum of patients with rheumatoid arthritis, 291 Heberden's nodes, Heberden's and Bouchard's nodes, 675

hepatitis C, Prevalence and clinical features of cryoglobulinaemia in multitransfused β-thalassaemia patients, 698 herb, Effects of anti-rheumatic herbal medicines on cellular adhesion

molecules, 366 hip, Expression of laminins and their integrin receptors in different conditions of synovial membrane and synovial membrane-like interface tissue, 683

Prevalence of hip osteoarthritis in Iceland, 201

Projecting the need for hip replacement over the next three decades: influence of changing demography and threshold for surgery, 569
Thickness of human articular cartilage in joints of the lower limb, 27

hip arthroplasty, Risk of post-discharge venous thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthro-plasty. Is prolonged thromboprophylaxis warranted or dangerous?: eader, 392

hip joint, Are radiological joint space widths of normal hips asymmetrical?, 246 hip pain, Hip pain, 148

histopathology, Validity of histopathological grading of articular car-

tilage from osteoarthritic knee joints, 208 HLA DR  $\beta1$ , Genotyping for disease associated HLA DR  $\beta1$  alleles and the need for early joint surgery in rheumatoid arthritis: a quantitative evaluation, 114

HLA-B27, HLA-B27 associated spondyloarthropathy, an autoimmune disease based on crossreactivity between bacteria and mune disease b HLA-B27?, 598

HLA-DQB1 alleles, A measure of limited joint motion and deformity correlates with HLA-DRB1 and DQB1 alleles in patients with rheumatoid arthritis, 703

HLA-DRB1 alleles, HLA-DRB1 alleles associated with polymyalgia rheumatica in northern Italy: correlation with disease severity, 303 homocysteine, Influence of sulphasalazine, methotrexate, and the combination of both on plasma homocysteine concentrations in patients with rheumatoid arthritis, 79

hormone replacement therapy, Effect of hormone replacement therapy on bone density in a patient with severe osteoporosis caused by anorexia nervosa: letter, 66

HTLV-I, HTLV-I associated Sjögren's syndrome is aetiologically disanti-centromere antibodies positive Sjögren's tinct from syndrome, 320

hyaluronidase, Examination of synovial fluid hyaluronidase activity as a joint marker in rheumatoid arthritis and osteoarthritis patients (by zymography), 186
hydroxychloroquine, Hydroxychloroquine treatment for primary

Sjögren's syndrome: its effect on salivary and serum inflammatory

Iceland, Prevalence of hip osteoarthritis in Iceland, 201

ICTP, The value of synovial fluid analysis in the assessment of knee joint destruction in arthritis in a three year follow up study, 559 idiotype, Increased IgA rheumatoid factor and V<sub>H</sub>I associated cross reactive idiotype expression in patients with Lyme arthritis and neuroborreliosis, 757

IgA, Ro/SSA and La/SSB specific IgA autoantibodies in serum of patients with Sjögren's syndrome and systemic erythematosus, 623

inflammation: a comparison between automated and conventional microscopic measurements, 493

immune function, Reduced purine 5'-nucleotidase activity in lymphocytes of patients with systemic lupus erythematosus: results of a pilot study, 122

immunological diseases, Prevalence and clinical features of cryoglobulinaemia in multitransfused β-thalassaemia patients, 698 immunology, Immunological evaluation of cytokine and anticytokine immunotherapy in vivo: what have we learnt?: review, 136

immunomodulators, Immunomodulation by thalidomide thalidomide analogues, I107 immunosuppressive treatment, Leg bone pain syndrome in a kid-ney transplant patient treated with tacrolimus (FK506): letter, 653 in situ hybridisation, Autocrine control of vitamin D metabolism in synovial cells from arthritic patients, 372

in situ zymography, In situ zymographic localisation of type II collagen degrading activity in osteoarthritic human articular cartilage, 357

incidence, Changes in the incidence and prevalence of rheumatoid arthritis in Kamitonda, Wakayama, Japan, 1965–1996, 751 infectious arthritis, Reactive or infectious arthritis: leader, 661

inflammation. Anti-tumour necrosis factor specific antibody (infliximab) treatment provides insights into the pathophysiology of rheumatoid arthritis, 156

Circulating soluble adhesion molecules in patients with giant cell arteritis. Correlation between soluble intercellular adhesion molecule-1 (sICAM-1) concentrations and disease activity, 189

Immunomodulation by thalidomide and thalidomide analogues,

Quantitative analysis of synovial membrane inflammation: a comparison between automated and conventional microscopic measurements, 493

inflammatory bowel disease, The function of tumour necrosis fac-tor and receptors in models of multi-organ inflammation, rheumatoid arthritis, multiple sclerosis and inflammatory bowel disease, I32

infliximab, Summary of clinical trials in rheumatoid arthritis using infliximab, an anti-TNFa treatment, 161 integrin, Expression of laminins and their integrin receptors in differ-

ent conditions of synovial membrane and synovial membrane-like interface tissue, 683

interferon γ, The immune suppressive effect of dexamethasone in rheumatoid arthritis is accompanied by upregulation of interleukin 10 and by differential changes in interferon γ and interleukin 4 production, 49

interleukin 1 receptor antagonist, Treatment of rheumatoid arthritis with interleukin 1 receptor antagonist, 196 interleukin 10, Interleukin 10 treatment for rheumatoid arthritis, 199

Neuropsychiatric systemic lupus erythematosus: matters arising, 658
The immune suppressive effect of dexamethasone in rheumatoid arthritis is accompanied by upregulation of interleukin 10 and by differential changes in interferon  $\gamma$  and interleukin 4 production,

interleukin 10 promoter haplotypes, Neuropsychiatric systemic lupus erythematosus is associated with imbalance in interleukin 10 promoter haplotypes, 85

interleukin 4, The immune suppressive effect of dexamethasone in rheumatoid arthritis is accompanied by upregulation of interleukin 10 and by differential changes in interferon γ and interleukin 4 production, 49

interleukins, Clinical and laboratory manifestations of elderly of

psoriatic arthritis: a comparison with younger onset disease, 226 interobserver agreement, Diagnostic classification of shoulder disorders: interobserver agreement and determinants of disagreement, 272

intra-articular, Placement of intra-articular injections verified by mini air-arthrography, 641

Japan, Prevalence of joint pain is higher among women in rural Japan than urban Japanese-American women in Hawaii, 315
 joint pain, Prevalence of joint pain is higher among women in rural

Japan than urban Japanese-American women in Hawaii, 315
joint space width, Are radiological joint space widths of normal hips
asymmetrical?, 246

juvenile arthritis, Assessment of mutilans-like hand deformities in chronic inflammatory joint diseases. A radiographic study of 52 patients, 250

juvenile chronic arthritis, A concealed cause of recurrent renal failure in a patient with juvenile chronic arthritis, 396

Pregnancy and early onset pauciarticular juvenile chronic arthritis,

keratoconjunctivitis sicca, Sicca symptoms, saliva and tear produc-tion, and disease variables in 636 patients with rheumatoid arthritis, 415

kidney transplant, Leg bone pain syndrome in a kidney transplant patient treated with tacrolimus (FK506): letter, 653

Klebsiella pneumoniae, Ankylosing spondylitis in monozygotic twins: studies on immunological parameters, 428
knee, The shape of the distal femur: a palaeopathological comparison
of eburnated and non-eburnated femora, 72

Thickness of human articular cartilage in joints of the lower limb, 27 knee arthroplasty, Risk of post-discharge venous thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthroplasty. Is prolonged thromboprophylaxis warranted or dangerous?: leader, 392

knee joint destruction. The value of synovial fluid analysis in the assessment of knee joint destruction in arthritis in a three year fol-

low up study, 559

knee osteoarthritis, Bone scintigraphy in chronic knee pain:

comparison with magnetic resonance imaging, 20
Effectiveness of home exercise on pain and disability from osteoarthritis of the knee: a randomised controlled trial, 15 knee pain, Effectiveness of home exercise on pain and disability from

steoarthritis of the knee: a randomised controlled trial, 15 kyphosis, Lumbar osteotomy for correction of thoracolumbar kyphotic deformity in ankylosing spondylitis. A structured review of three methods of treatment: review, 399

laminin, Expression of laminins and their integrin receptors in different conditions of synovial membrane and synovial membrane-like interface tissue. 683

Larsen score, Assessment of mutilans-like hand deformities chronic inflammatory joint diseases. A radiographic study of 52 patients, 250

leg bone pain syndrome, Leg bone pain syndrome in a kidney transplant patient treated with tacrolimus (FK506): letter, 653 life style factors, Osteoarthrosis of the knee in men and women in

sociation with overweight, smoking, and hormone therapy, 151

polymorphism, LMP2 polymorphisms and

spondyloarthropathies: *letter*, 386 local injection therapy, Synovitis of small joints: sonographic guided

diagnostic and therapeutic approach, 595

lumbar osteotomy, Lumbar osteotomy for correction of thoracolumbar kyphotic deformity in ankylosing spondylitis. A structured

review of three methods of treatment: review, 399 lung function, Pulmonary involvement in diffuse cutaneous systemic

sclerosis: broncheoalveolar fluid granulocytosis predicts progression of fibrosing alveolitis, 635 lung shadowing, Recurrent lung shadowing in adult juvenile idiopathic arthritis: lesson of the month, 742

lupus, Amiodarone induced lupus: letter, 655

Tumour necrosis factor and other cytokines in murine lupus, 149 Lyme disease, Increased IgA rheumatoid factor and  $V_{\rm H}1$  associated cross reactive idiotype expression in patients with Lyme arthritis and neuroborreliosis, 757

and neuroporrenosis, 757

lymphocyte phenotypes, Lymphocyte phenotypes in systemic sclerosis: letter, 719

lymphocytes, Lymphocyte populations and cytokine concentrations in pericardial fluid from a systemic lupus erythematosus patient with cardiac tamponade: letter, 720

lymphotoxin, The role of TNFα and lymphotoxin in demyelinating disease 1121

disease, I121

macrophage, Autocrine control of vitamin D metabolism in synovial cells from arthritic patients, 372 Superinduction of interleukin 8 mRNA in activated monocyte

derived macrophages from rheumatoid arthritis patients, 648 magnetic resonance imaging, Bone scintigraphy in chronic knee

pain: comparison with magnetic resonance imaging, 20 Intra-articular primatised anti-CD4: efficacy in resistant rheumatoid knees. A study of combined arthroscopy, magnetic resonance imaging, and histology, 342

Magnetic resonance imaging of the wrist in early rheumatoid arthritis reveals progression of erosions despite clinical improvement,

Remitting seronegative symmetrical synovitis with pitting oedema (RS3PE) syndrome: a prospective follow up and magnetic resonance imaging study, 230 measurement, Are radiological joint space widths of normal hips

asymmetrical?, 246

membrane type metalloproteinase, Analysis of 16 different matrix metalloproteinases (MMP-1 to MMP-20) in the synovial membrane: different profiles in trauma and rheumatoid arthritis,

mephenytoine, CYP2C19 genotype does not represent a genetic pre-disposition in idiopathic systemic lupus erythematosus, 182 metacarpophalangeal joint, Synovitis of small joints: sonographic guided diagnostic and therape

metalloproteinases, Analysis of 16 different matrix metalloprotein-ases (MMP-1 to MMP-20) in the synovial membrane: different profiles in trauma and rheumatoid arthritis, 691

Increased vulnerability of postarthritic cartilage to a second arthritic insult: accelerated MMP activity in a flare up of arthritis, 350

methotrexate, Combination therapy in early rheumatoid arthritis: a randomised, controlled, double blind 52 week clinical trial of sulphasalazine and methotrexate compared with the single components, 220

Effects of methotrexate on cartilage metabolism: matters arising, 196

Influence of sulphasalazine, methotrexate, and the combination of both on plasma homocysteine concentrations in patients with rheumatoid arthritis, 79

Prospective six year follow up of patients withdrawn from a randomised study comparing parenteral gold salt and methotrexate, 281

3,4-methylenedioxymetamphetamine, A concealed cause of recurrent renal failure in a patient with juvenile chronic arthritis,

methylprednisolone, Pulse methylprednisolone therapy for arthritis causing muscle weakness, 521
microsatellite, Polymorphic CAG repeats of the androgen receptor gene and rheumatoid arthritis, 500

microscopic polyangiitis, Microscopic polyangiitis (microscopic polyarteritis) with late emergence of generalised Wegener's granulomatosis, 644

microscopic polyarteritis, Microscopic polyangiitis (microscopic polyarteritis) with late emergence of generalised Wegener's polyarteritis) with granulomatosis, 644

migrant studies, Prevalence of joint pain is higher among women in rural Japan than urban Japanese-American women in Hawaii, 315
MIP-1a, Macrophage inflammatory protein 1 alpha expression by

synovial fluid neutrophils in rheumatoid arthritis, 297

MMP-13, In situ zymographic localisation of type II collagen degrading activity in osteoarthritic human articular cartilage, 357 monoclonal antibodies, Intra-articular primatised anti-CD4: efficacy in resistant rheumatoid knees. A study of combined

arthroscopy, magnetic resonance imaging, and histology, 342 monoclonal antibody D2E7, Preliminary results of early clinical trials with the fully human anti-TNFα monoclonal antibody D2E7, I70

monocyte activation, Monocyte activation in patients with Wegener's granulomatosis, 237
monocytes, Expression of adhesion molecules on synovial fluid and

peripheral blood monocytes in patients with inflammatory joint disease and osteoarthritis, 709

Superinduction of interleukin 8 mRNA in activated monocyte derived macrophages from rheumatoid arthritis patients, 648 monozygotic twins, Ankylosing spondylitis in monozygotic twins:

studies on immunological parameters, 428
mortality, Does social disadvantage contribute to the excess mortality
in rheumatoid arthritis patients?, 525
Mortality in rheumatoid arthritis patients with disease onset in the

1980s, 11

1980s, 11

Mortality in rheumatoid arthritis patients: matters arising, 723

multi-organ inflammation, The function of tumour necrosis factor and receptors in models of multi-organ inflammation, rheumatoid arthritis, multiple sclerosis and inflammatory bowel disease, 132

multiple sclerosis, The function of tumour necrosis factor and receptors in models of multi-organ inflammation, rheumatoid arthritis multiple sclerosis and inflammation, and produce the scheme of the models of multi-organ inflammation, rheumatoid arthritis multiple sclerosis and inflammation, but and the scheme of the models of the models of the models of the scheme of the models of the scheme of t

arthritis, multiple sclerosis and inflammatory bowel disease, **132** muscle weakness, Pulse methylprednisolone therapy for arthritis causing muscle weakness, **521** musculoskeletal disorders, Musculoskeletal disorders in the community: letter, 323

myocardial necrosis, Fatal myocardial necrosis: lesson of the month,

myocarditis, 111 Indium antimyosin antibody imaging of primary myocardial invovement in systemic diseases, 90

nasal disorders, Nasal manifestations of rheumatic diseases: leader,

neoepitope, Increased vulnerability of postarthritic cartilage to a second arthritic insult: accelerated MMP activity in a flare up of arthritis, 350

neuropsychiatric manifestations, Neuropsychiatric systemic lupus erythematosus is associated with imbalance in interleukin 10 promoter haplotypes, 85 neuropsychiatry, Neuropsychiatric systemic lupus erythematosus:

matters arising, 658

neutropenia, Increased apoptotic peripheral blood neutrophils in systemic lupus erythematosus: relations with disease a antibodies to double stranded DNA, and neutropenia, 309

neutrophil, Increased apoptotic peripheral blood neutrophils in systemic lupus erythematosus: relations with disease activity, anti-bodies to double stranded DNA, and neutropenia, 309

Macrophage inflammatory protein 1 alpha expression by synovial fluid neutrophils in rheumatoid arthritis, 297

neutrophil chemotaxis, Neutrophil chemotaxis in Behçet's syndrome: letter, 658 neutrophil elastase, Destruction of articular cartilage by alpha

macroglobulin elastase complexes: role in rheumatoid arthritis,

109
NF-κB, Thrombin receptor mediated signals induce expressions of interleukin 6 and granulocyte colony stimulating factor via NF-κB activation in synovial fibroblasts, 55
non-host cells, Non-host cells in the pathogenesis of autoimmune disease: a new paradigm?: leader, 518
non-steroidal anti-inflammatory drugs, Effects of nabumetone compared with naproxen on platelet aggregation in patients with the pathogenesis.

rheumatoid arthritis, 257

observer agreement, Perceptual variation in grading hand, hip and knee radiographs: observations based on an Australian Twin Registry study of osteoarthritis, 766

ocular dryness, Parasympathetic failure does not contribute to ocular dryness in primary Sjögren's syndrome, 746

oestrogen, Association of oestrogen receptor gene polymorphisms with age at onset of rheumatoid arthritis, 7

oestrogen receptor gene, Association of oestrogen receptor gene polymorphisms with age at onset of rheumatoid arthritis, 7

oestrogen therapy, Osteoarthrosis of the knee in men and women in association with overweight, smoking, and hormone therapy, 151 onset age, Polymorphic CAG repeats of the androgen receptor gene

and rheumatoid arthritis, 500 osteoarthritis, Chondroitin sulphation patterns in synovial fluid in osteoarthritis subsets, 441

Controlled study of the prevalence of radiological osteoarthritis in clinically unrecognised juxta-articular Paget's disease, 762 In situ zymographic localisation of type II collagen degrading activ-

ity in osteoarthritic human articular cartilage, 357
Perceptual variation in grading hand, hip and knee radiographs: observations based on an Australian Twin Registry study of

osteoarthritis, 766 Prevalence of hip osteoarthritis in Iceland, 201

Projecting the need for hip replacement over the next three decades: influence of changing demography and threshold for surgery, 569
Rasch analysis of the Western Ontario MacMaster Questionnaire (WOMAC) in 2205 patients with osteoarthritis, rheumatoid arthritis, and fibromyalgia, 563
The shape of the distal femur: a palaeopathological comparison of eburnated and non-eburnated femora, 72
Validity of histographological grading of articular cartilage from osteo-

Validity of histopathological grading of articular cartilage from osteoarthritic knee joints, 208

osteonecrosis, Increased level of apolipoprotein B/apolipoprotein A1 ratio as a potential risk for osteonecrosis, 514

osteoporosis, An unusual cause of back pain in osteoporosis: lessons

from a spinal lesion, 327 Effect of hormone replacement therapy on bone density in a patient with severe osteoporosis caused by anorexia nervosa: letter, 66

Paget's disease, Controlled study of the prevalence of radiological osteoarthritis in clinically unrecognised juxta-articular Paget's disease, 762

parovirus, Rheumatoid arthritis after human parvovirus B19

infection: letter, 130

ovirus B19, There is no association between polymyalgia parovirus B19, rheumatica and acute parvovirus B19 infection: letter, 657

PDE4 inhibition, Immunomodulation by thalidomide thalidomide analogues, I107

pentosidine, Lysylhydroxylation and non-reducible crosslinking of human supraspinatus tendon collagen: changes with age and in chronic rotator cuff tendinitis, 35

pericardial fluid, Lymphocyte populations and cyconcentrations in pericardial fluid from a systemic erythematosus patient with cardiac tamponade: letter, 720 lupus

pharmacoeconomic evaluation, Pharmacoeconomic evaluation of new treatments: efficacy versus effectiveness studies?, 182 physiotherapy, No effect of bipolar interferential electrotherapy and

pulsed ultrasound for soft tissue shoulder disorders: a randomised controlled trial, 530

PHINP, The value of synovial fluid analysis in the assessment of knee joint destruction in arthritis in a three year follow up study, 559

PINP, The value of synovial fluid analysis in the assessment of knee joint destruction in arthritis in a three year follow up study, 559 pitting oedema, Polyarthritis and pitting oedema, 142

Remitting seronegative symmetrical synovitis with pitting oedema (RS3PE) syndrome: a prospective follow up and magnetic resonance imaging study, 230

placebo controlled, No effect of bipolar interferential electrotherapy and pulsed ultrasound for soft tissue shoulder disorders: a randomised controlled trial, 530

plasma, Soluble urokinase plasminogen activator receptor in plasma of patients with inflammatory rheumatic disorders: increased concentrations in rheumatoid arthritis, 488

platelet aggregation, Effects of nabumetone compared with naproxen on platelet aggregation in patients with rheumatoid arthritis, 257

polyarthritis, Polyarthritis and pitting oedema, 142

polymerase chain reaction, Optimised sample preparation of synovial fluid for detection of *Chiamydia trachomatis* DNA by polymerase chain reaction, 103

polymorphism, Association of oestrogen receptor gene polymor-phisms with age at onset of rheumatoid arthritis, 7 Association of polymorphism in glutathione S-transferase loci with

susceptibility and outcome in rheumatoid arthritis: comparison

with the shared epitope, 164
Tumour necrosis factor gene polymorphisms as severity markers in rheumatoid arthritis, 120

polymyalgia, Polymyalgia and low back pain: a common cause not to be missed: lesson of the month, 462

polymyalgia rheumatica, HLA-DRB1 alleles associated with polymyalgia rheumatica in northern Italy: correlation with disease severity, 303

Remitting seronegative symmetrical synovitis with pitting oedema (RS3PE) syndrome: a prospective follow up and magnetic resonance imaging study, 230

There is no association between polymyalgia rheumatica and acute

parvovirus B19 infection: letter, 657

postinfectious arthritis, Two forms of reactive arthritis?, 737

prednisolone, A randomised trial of differentiated prednisolone treatment in active rheumatoid arthritis. Clinical benefits and skeletal side effects, 713 pregnancy, Pregnancy and early onset pauciarticular juvenile chronic

pregnancy, rregnancy and early onset pauciarticular juvenile chronic arthritis, 475

prevalence, Changes in the incidence and prevalence of rheumatoid arthritis in Kamitonda, Wakayama, Japan, 1965–1996, 751

prognosis, Anti-heat shock protein 70 kDa and 90 kDa antibodies in serum of patients with rheumatoid arthritis, 291

Clinical follow up study of 87 patients with sicca symptoms (dryness of eyes or mouth, or both), 423

Magnetic resonance imaging of the wrist in early rheumatoid arthritis reveals progression of erosions despite clinical improvement,

Mortality in rheumatoid arthritis patients with disease onset in the

proinflammatory cytokines, PEGylated recombinant human soluble tumour necrosis factor receptor type I (r-Hu-sTNF-RI): novel high affinity TNF receptor designed for chronic inflammatory diseases, 173

proliferating cell nuclear antigen, Presentation of autoantibody to proliferating cell nuclear antigen in patients with chronic hepatitis B and C virus infection, 630

 protein kinases, Expression of mitogen activated protein kinases in labial salivary glands of patients with Sjögren's syndrome, 382
 proteoglycans, Destruction of articular cartilage by alpha. proteoglycans, Destruction of articular cartilage by alpha, macroglobulin elastase complexes: role in rheumatoid arthritis, 100

psoriatic arthritis, Clinical and laboratory manifestations of elderly onset psoriatic arthritis: a comparison with younger onset disease, 226

Synovitis of small joints: sonographic guided diagnostic and therapeutic approach, 595

pulmonary fibrosis, Detection of anti-ADAM 10 antibody in serum of a patient with pulmonary fibrosis associated with dermatomyositis, 770

purine enzymes, Reduced purine 5'-nucleotidase activity in lymphocytes of patients with systemic lupus erythematosus: results of a pilot study, 122

quadriceps strength, Effectiveness of home exercise on pain and disability from osteoarthritis of the knee: a randomised controlled

rabbits, Staphylococcal septic arthritis in rabbits: letter, 386 radiation synovectomy, Double blind glucocorticoid controlled trial of samarium-153 particulate hydroxyapatite radiation synovectomy for chronic knee synovitis, 554

radiographs, Perceptual variation in grading hand, hip and knee

radiographs: observations based on an Australian Twin Registry study of osteoarthritis, 766
radiology, Controlled study of the prevalence of radiological osteoar-

thritis in clinically unrecognised juxta-articular Paget's disease,

radiosynoviorthesis, Double blind glucocorticoid controlled trial of

samarium-153 particulate hydroxyapatite radiation synovectomy for chronic knee synovitis, 554

Rasch analysis, Rasch analysis of the Western Ontario MacMaster Questionnaire (WOMAC) in 2205 patients with osteoarthritis, rheumatoid arthritis, and fibromyalgia, 563

Raynard's phenomenon, Fatal myocardial necrosis: lesson of the month, 198

reactive arthritis, A clinical and serological comparison of group A versus non-group A streptococcal reactive arthritis and throa ture negative cases of post-streptococcal reactive arthritis, 410 Diagnostic evaluation of classification criteria for rheumatoid arthri-

tis and reactive arthritis in an early synovitis outpatient clinic, 278 Reactive or infectious arthritis: leader, 661
Two forms of reactive arthritis?, 737

relapsing polychondritis, Antinuclear antibodies in relapsing ondritis: letter, 656

relative risk, Osteoarthrosis of the knee in men and women in association with overweight, smoking, and hormone therapy, 151 reliability, Validity of histopathological grading of articular cartilage from osteoarthritic knee joints, 208

renal failure, A concealed cause of recurrent renal failure in a patient with juvenile chronic arthritis, 396

renal transplantation, A successful renal transplantation in Behçet's

syndrome: letter, 719
reverse transcription-polymerase chain reaction, collagen is a target antigen of clonally expanded T cells in the syn-ovium of patients with rheumatoid arthritis, 446 rheumatic disease, Mechanisms of viral pathogenesis in rheumatic disease: leader, 454

rheumatic diseases, Rheumatic disease and the Australian Aborigine, 266

rheumatic disorders, Soluble urokinase plasminogen activator receptor in plasma of patients with inflammatory rheumatic disorders: increased concentrations in rheumatoid arthritis, 488

rheumatoid arthritis, A measure of limited joint motion and deformity correlates with HLA-DRB1 and DQB1 alleles in patients with rheumatoid arthritis, 703

A randomised trial of differentiated prednisolone treatment in active rheumatoid arthritis. Clinical benefits and skeletal side effects, 713 Access to disease modifying treatments for rheumatoid arthritis patients, I129

Anti-heat shock protein 70 kDa and 90 kDa antibodies in serum of patients with rheumatoid arthritis, 291 Anti-inflammatory effects of systemic anti-tumour necrosis factor a

treatment in human/murine SCID arthritis, 434

Anti-perinuclear factor compared with the so called "antikeratin" antibodies and antibodies to human epidermis filaggrin, in the diagnosis of arthritides, 42

Assessment of mutilans-like hand deformities in chronic inflammatory joint diseases. A radiographic study of 52 patients, 250

Association of oestrogen receptor gene polymorphisms with age at onset of rheumatoid arthritis, 7

Association of polymorphism in glutathione S-transferase loci with susceptibility and outcome in rheumatoid arthritis: comparison with the shared epitope, 164

Building towards a consensus for the use of tumour necrosis factor blocking agents: leader, 725

Changes in the incidence and prevalence of rheumatoid arthritis in Kamitonda, Wakayama, Japan, 1965–1996, 751

Combination therapy in early rheumatoid arthritis: a randomised, controlled, double blind 52 week clinical trial of sulphasalazine and methotrexate compared with the single components, 220

Complement C1s activation in degenerating articular cartilage of rheumatoid arthritis patients: immunohistochemical studies with an active form specific antibody, 175

Crystals in arthritis: new age nonsense or novel therapeutic target?: matters arising, 723

Diagnostic evaluation of classification criteria for rheumatoid arthritis and reactive arthritis in an early synovitis outpatient clinic, 278 Does social disadvantage contribute to the excess mortality in rheu-

matoid arthritis patients?, 525 Early referral, diagnosis, and treatment of rheumatoid arthritis: evidence for changing medical practice, 510

Effects of nabumetone compared with naproxen on platelet aggrega-tion in patients with rheumatoid arthritis, 257

European regulatory aspects on new medicines targeted at treatment of rheumatoid arthritis, 192

Examination of synovial fluid and serum hyaluronidase activity as a joint marker in rheumatoid arthritis and osteoarthritis patients (by zymography), 186

Genotyping for disease associated HLA DR \( \beta \)1 alleles and the need for early joint surgery in rheumatoid arthritis: a quantitative evaluation, 114

Interleukin 10 treatment for rheumatoid arthritis, 199

Macrophage inflammatory protein 1 alpha expression by synovial fluid neutrophils in rheumatoid arthritis, 297

Magnetic resonance imaging of the wrist in early rheumatoid arthritis reveals progression of erosions despite clinical improvement, 156

Mortality in rheumatoid arthritis patients with disease onset in the 1980s, 11

Mortality in rheumatoid arthritis patients: matters arising, 723

Old drug, new tricks: haloperidol inhibits secretion of proinflammatory cytokines, 585 Outcome of patients with early rheumatoid arthritis over a two year

period: letter, 323
Polymorphic CAG repeats of the androgen receptor gene and rheumatoid arthritis, 500

Prospective six year follow up of patients withdrawn from a randomised study comparing parenteral gold salt and

methotrexate, 281 Rasch analysis of the Western Ontario MacMaster Questionnaire (WOMAC) in 2205 patients with osteoarthritis, rheumatoid arthritis, and fibromyalgia, 563

Rheumatoid arthritis: A synovial disease?, 727

Rheumatoid arthritis after human parvovirus B19 infection: letter, 130

Risk of post-discharge venous thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthroplasty. Is prolonged thromboprophylaxis warranted or dangerous?: leader,

Role of tumour necrosis factor  $\alpha$  in experimental arthritis: separate activity of interleukin 1 $\beta$  in chronicity and cartilage destruction,

Safety, cost and effectiveness issues with disease modifying anti-rheumatic drugs in rheumatoid arthritis, **I86** 

Serum samples of patients with rheumatoid arthritis contain a specific autoantibody to "denatured" aldolase A in the osteoblast-like cell line, MG-63, 169

Sicca symptoms, saliva and tear production, and disease variables in 636 patients with rheumatoid arthritis, 415

Soluble urokinase plasminogen activator receptor in plasma of patients with inflammatory rheumatic concentrations in rheumatoid arthritis, 488

subluxation resulting in improvement of rheumatoid subaxial subluxation resulting in improvement of myelopathy, reduction of subluxation, and stabilisation of the cervical spine. A report of two cases, 126

Summary of clinical trials in rheumatoid arthritis using infliximab,

an anti-TNFa treatment, I61
Superinduction of interleukin 8 mRNA in activated monocyte derived macrophages from rheumatoid arthritis patients, 648 The function of tumour necrosis factor and receptors in models of

The function of tumour necrosis ractor and receptors in modes of multi-organ inflammation, rheumatoid arthritis, multiple sclerosis and inflammatory bowel disease, 132

The immune suppressive effect of dexamethasone in rheumatoid arthritis is accompanied by upregulation of interleukin 10 and by differential changes in interferon γ and interleukin 4 production.

The rationale for the current boom in anti-TNFa treatment. Is there The rationale for the current boom in anti-TNPa treatment, is dieter an effective means to define therapeutic targets for drugs that pro-vide all the benefits of anti-TNFa and minimise hazards?, 127 The value of synovial fluid analysis in the assessment of knee joint destruction in arthritis in a three year follow up study, 559 Treatment of rheumatoid arthritis with interleukin 1 receptor

antagonist, 196 Tumour necrosis factor a stimulated rheumatoid synovial microvas-

cular endothelial cells exhibit increased shear rate dependent leu-cocyte adhesion in vitro, 573

Tumour necrosis factor gene polymorphisms as severity markers in rheumatoid arthritis, 120

Utility of disease modifying antirheumatic drugs in "sawtooth" strategy. A prospective study of early rheumatoid arthritis patients up to 15 years, 618
Vitamin D receptors in the rheumatoid lesion: expression by

chondrocytes, macrophages, and synoviocytes, 118 rheumatoid factor, Increased IgA rheumatoid factor and  $V_{\rm H}1$  asso ciated cross reactive idiotype expression in patients with Lyme arthritis and neuroborreliosis, 757

rheumatoid subaxial subluxation, Successful conservative treatment of rheumatoid subaxial subluxation resulting in improvement of myelopathy, reduction of subluxation, and stabilisation of the cervical spine. A report of two cases, 126

rheumatology, Guidelines for rheumatology undergraduate core curriculum, 133

Nasal manifestations of rheumatic diseases: leader, 589
Pharmacoeconomic evaluation of new treatments: efficacy versus effectiveness studies?, 182

Signal transduction by tumour necrosis factor and tumour necrosis factor related ligands and their receptors, I2

Ro/SSA, Ro/SSA and La/SSB specific IgA autoantibodies in serum of Sjögren's patients with syndrome and erythematosus, 623

RS3PE, Remitting seronegative symmetrical synovitis with pitting oedema (RS3PE) syndrome: a prospective follow up and magnetic resonance imaging study, 230

RS3PE syndrome, RS3PE: six years later: matters arising, 722

SAEC cells, Detection of anti-ADAM 10 antibody in serum of a patient with pulmonary fibrosis associated with dermatomyositis,

salivary glands, Expression of mitogen activated protein kinases in labial salivary glands of patients with Sjögren's syndrome, 382

samarium-153, Double blind glucocorticoid controlled trial of samarium-153 particulate hydroxyapatite radiation synovectomy for chronic knee synovitis, 554

sawtooth strategy, Utility of disease modifying antirheumatic drugs in "sawtooth" strategy. A prospective study of early rheumatoid arthritis patients up to 15 years, 618

SCID mice, Anti-inflammatory effects of systemic anti-tumour necrosis factor α treatment in human/murine SCID arthritis, 434 scintigraphy, <sup>111</sup>Indium antimyosin antibody imaging of primary myocardial invovement in systemic diseases, 90

secular change, Changes in the incidence and prevalence of rheumatoid arthritis in Kamitonda, Wakayama, Japan, 1965–1996, 751

selectin, Effects of anti-rheumatic herbal medicines on cellular adhesion molecules, 366

septic arthritis, Clinical features and outcome of septic arthritis in a single UK Health District 1982-1991, 214 Staphylococcal septic arthritis in rabbits: letter, 386

shared epitope, Association of polymorphism in glutathione S-transferase loci with susceptibility and outcome in rheumatoid arthritis: comparison with the shared epitope, 164

Diagnostic classification shoulder shoulder, interobserver agreement and determinants of disagreement, 272 No effect of bipolar interferential electrotherapy and pulsed soft tissue shoulder disorders: ultrasound for controlled trial, 530

shoulder pain, An unusual cause of shoulder pain, 264
Shoulder pain after stroke: case report and review: letter, 451
sicca symptoms, Clinical follow up study of 87 patients with sicca symptoms (dryness of eyes or mouth, or both), 423

silicone, Influence of long term silicone implantation on type II collagen induced arthritis in mice, 503

single strand conformation polymorphism, Characterisation of T cell clonotypes that accumulated in multiple joints of patients with rheumatoid arthritis, 546

Sjögren's syndrome, Clinical follow up study of 87 patients with sicca symptoms (dryness of eyes or mouth, or both), 423
Expression of mitogen activated protein kinases in labial salivary

Expression of mitogen activated protein kinases in iadial salivary glands of patients with Sjögren's syndrome, 382 HTLV-I associated Sjögren's syndrome is aetiologically distinct from

anti-centromere antibodies positive Sjögren's syndrome, 320 Hydroxychloroquine treatment for primary Sjögren's syndrome: its

effect on salivary and serum inflammatory markers, 253

Parasympathetic failure does not contribute to ocular dryness in primary Sjögren's syndrome, 746 mary Sjogren's syndrome, 740 Ro'SSA and La'SSB specific IgA autoantibodies in serum of patients with Sjögren's syndrome and systemic lupus erythematosus, 623

Sicca symptoms, saliva and tear production, and disease variables in 636 patients with rheumatoid arthritis, 415

Treatment of oral dryness related complaints (xerostomia) in Sjögren's syndrome: review, 465 skeletal muscle, Decreased serum biochemical markers of muscle

origin in patients with ankylosing spondylitis, 541 small airway obstruction, Lung involvement in primary Sjögren's

small airway obstruction, Lung involvement in primary Sjögren's syndrome is mainly related to the small airway disease, 61 socioeconomic status, Does social disadvantage contribute to the excess mortality in rheumatoid arthritis patients?, 525 soluble tumour necrosis factor receptor type I (sTNF-RI), PEGylated recombinant human soluble tumour necrosis factor receptor type I (r-Hu-sTNF-RI): novel high affinity TNF receptor designed for chronic inflammatory diseases, I73

spine, An unusual cause of back pain in osteoporosis: lessons from a spinal lesion, 327

spleen, Spleen haemorrhagic infarction anticoagulation in Wegener's granulomatosis: letter, 654
spondyloarthritis, HI.A-B27+ anterior uveitis with or without asso-

ciated spondyloarthritis: clinical and immunological features:

spondyloarthropathy, HLA-B27 associated spondyloarthropathy, an autoimmune disease and HLA-B27?, 598 e based on crossreactivity between bacteria

LMP2 polymorphisms and spondyloarthropathies: letter, 386 streptococci, A clinical and serological comparison of group A versus non-group A streptococcal reactive arthritis and throat culture

negative cases of post-streptococcal reactive arthritis, 410 stroke, Shoulder pain after stroke: case report and review: letter, 451 stromelysin, Analysis of 16 different matrix metalloproteinases (MMP-1 to MMP-20) in the synovial membrane: different profiles in trauma and rheumatoid arthritis, 691

structured review, Lumbar osteotomy for correction of thoracolum-bar kyphotic deformity in ankylosing spondylitis. A structured review of three methods of treatment: review, 399

subsequent single strand conformation polymorphism, Type II collagen is a target antigen of clonally expanded T cells in the syn-ovium of patients with rheumatoid arthritis, 446

sulphasalazine, Combination therapy in early rheumatoid arthritis: a randomised, controlled, double blind 52 week clinical trial of sulphasalazine and methotrexate compared with the single components, 220

oes sulphasalazine cause drug induced systemic lupus erythematosus? No effect evident in a prospective randomised trial of 200 rheumatoid patients treated with sulphasalazine or auranofin over five years, 288

Influence of sulphasalazine, methotrexate, and the combination of both on plasma homocysteine concentrations in patients with rheumatoid arthritis, 79

surgical drainage, Clinical features and outcome of septic arthritis in a single UK Health District 1982–1991, 214

synovial, Expression of adhesion molecules on synovial fluid and peripheral blood monocytes in patients with inflammatory joint disease and osteoarthritis. 700 ase and osteoarthritis, 709

synovial cells, Thrombin receptor mediated signals induce expressions of interleukin 6 and granulocyte colony stimulating factor via NF-kB activation in synovial fibroblasts, 55 synovial disease, Rheumatoid arthritis: A synovial disease?, 727

synovial fluid, Chondroitin sulphation patterns in synovial fluid in osteoarthritis subsets, 441 Clinical and laboratory manifestations of elderly onset psoriatic

arthritis: a comparison with younger onset disease, 226
Destruction of articular cartilage by alpha, macroglobuli complexes: role in rheumatoid arthritis, 109
Identification of crystals in synovial fluid: leader, 261 macroglobulin elastase

Optimised sample preparation of synovial fluid for detection of *Chlamydia trachomatis* DNA by polymerase chain reaction, 103

synovial fluid analysis, Most calcium pyrophosphate crystals appear

as non-birefringent, 582
The value of synovial fluid analysis in the assessment of knee joint destruction in arthritis in a three year follow up study, 559 movial membrane, Anti-inflammatory effects of systemic

ovial membrane, Anti-inflammatory effects of systemic anti-tumour necrosis factor α treatment in human/murine SCID synovial arthritis, 434

synovial tissue, Characterisation of T cell clonotypes that accumulated in multiple joints of patients with rheumatoid arthritis, 546

vittis, 546
ivitis, Double blind glucocorticoid controlled trial of
iamarium-153 particulate hydroxyapatite radiation synovectomy synovitis. for chronic knee synovitis, 554 Quantitative analysis of synovial membrane inflammation: a

comparison between automated and conventional microscopic

measurements, 493
systemic disease, 111 Indium antimyosin antibody imaging of primary myocardial invovement in systemic diseases, 90

systemic lupus erythematosus, Antinuclear antibodies in relapsing polychondritis: letter, 656 CYP2C19 genotype does not represent a genetic predisposition in

idiopathic systemic lupus erythematosus, 182
oes sulphasalazine cause drug induced systemic lupus
erythematosus? No effect evident in a prospective randomised Does trial of 200 rheumatoid patients treated with sulphasalazine or auranofin over five years, 288

Factors associated with fatigue in patients with systemic lupus erythematosus, 379

Increased apoptotic peripheral blood neutrophils in systemic lupu erythematosus: relations with disease activity, antibodies to double stranded DNA, and neutropenia, 309

Lymphocyte populations and cytokine concentrations in pericardial fluid from a systemic lupus erythematosus patient with cardiac tamponade: letter, 720

Neuropsychiatric systemic lupus erythematosus is associated with imbalance in interleukin 10 promoter haplotypes, 85 Neuropsychiatric systemic lupus erythematosus: matters arising, 658

Presentation of autoantibody to proliferating cell nuclear antigen in patients with chronic hepatitis B and C virus infection, 630
Reduced purine 5'-nucleotidase activity in lymphocytes of patients

with systemic lupus erythematosus: results of a pilot study, 122 Ro/SSA and La/SSB specific IgA autoantibodies in serum of patients

with Sjögren's syndrome and systemic lupus erythematosus, 623 The A-G polymorphism in exon 1 of the CTLA-4 gene is not associated with systemic lupus erythematosus, 193

systemic lupus erythematosus nephritis, Cladribine in treatment of systemic lupus erythematosus nephritis: *letter*, 653

systemic sclerosis, Lymphocyte phenotypes in systemic sclerosis: let-

Pulmonary involvement in diffuse cutaneous systemic sclerosis: broncheoalveolar fluid granulocytosis predicts progression of fibrosing alveolitis, 635 (microscopic systemic

emic vasculitis, Microscopic polyangiitis (r polyarteritis) with late emergence of generalised granulomatosis, 644

Systemic vasculitis or not? That is the question, 591

T cell clone, Type II collagen is a target antigen of clonally expanded T cells in the synovium of patients with rheumatoid arthritis, 446
T cell receptor, Characterisation of T cell clonotypes that accumulated in multiple joints of patients with rheumatoid

arthritis, 546 Type II collagen is a target antigen of clonally expanded T cells in

the synovium of patients with rheumatoid arthritis, 446

T1 T cell, The immune suppressive effect of dexamethasone in rheumatoid arthritis is accompanied by upregulation of interleukin 10 and by differential changes in interferon  $\gamma$  and interleukin 4 production, 49

T2 T cell, The immune suppressive effect of dexamethasone in rheumatoid arthritis is accompanied by upregulation of interleukin 10 and by differential changes in interferon  $\gamma$  and interleukin 4 production, 49

tacrolimus, Leg bone pain syndrome in a kidney transplant patient treated with tacrolimus (FK506): letter, 653

tendons, Lysylhydroxylation and non-reducible crosslinking of human supraspinatus tendon collagen: changes with age and in chronic rotator cuff tendinitis, 35

β-thalassaemia Prevalence and clinical features of cryoglobulinaemia in multitransfused β-thalassaemia patients, 698

thalidomide, Immunomodulation by thalidomide and thalidomide analogues, 1107

thalidomide analogues, Immunomodulation by thalidomide and thalidomide analogues, I107
thrombin, Thrombin receptor mediated signals induce expressions of interleukin 6 and granulocyte colony stimulating factor via NF-κB activation in synovial fibroblasts, 55

thrombocytopenia, Hug(h)e(s') ears: an unusual presentation of antiphospholipid syndrome: letter, 65

thromboprophylaxis, Risk of post-discharge venous thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthroplasty. Is prolonged thromboprophylaxis warranted or dangerous? leader 392

transcutaneous electrotherapy, No effect of bipolar interferential electrotherapy and pulsed ultrasound for soft tissue shoulder dis-orders; a randomised controlled trial. 530

trichorhinophalangeal syndrome, Systemic vasculitis or not? That

is the question, 591 tumour necrosis factor, Building towards a consensus for the use of tumour necrosis factor blocking agents: leader, 725
Signal transduction by tumour necrosis factor and tumour necrosis factor related ligands and their receptors, I2

The function of tumour necrosis factor and receptors in models of multi-organ inflammation, rheumatoid arthritis, multiple sclerosis and inflammatory bowel disease, I32
Tumour necrosis factor and other cytokines in murine lupus, I49

Tumour necrosis factor gene polymorphisms as severity markers in rheumatoid arthritis, 120

tumour necrosis factor u,: leader
Clinical implications of tumour necrosis factor a antagonism in

PEGylated recombinant human soluble tumour necrosis factor receptor type I (r-Hu-sTNF-RI): novel high affinity TNF receptor designed for chronic inflammatory diseases, 173
Role of tumour necrosis factor a in experimental arthritis; separate

activity of interleukin 1ß in chronicity and cartilage destruction,

The role of TNFa and lymphotoxin in demyelinating disease, I121 twins, Perceptual variation in grading hand, hip and knee radiographs: observations based on an Australian Twin Registry study of osteoarthritis, 766

type II collagen, Type II collagen is a target antigen of clonally expanded T cells in the synovium of patients with rheumatoid arthritis, 446

ultrasonography, Synovitis of small joints: sonographic guided diagnostic and therapeutic approach, \$95 ultrasound, No effect of bipolar interferential electrotherapy and

pulsed ultrasound for soft tissue shoulder disorders: a randomised ontrolled trial, 530

urokinase receptor, Soluble urokinase plasminogen activator receptor in plasma of patients with inflammatory rheumatic disorders: increased concentrations in rheumatoid arthritis, 488

validity, Validity of histopathological grading of articular cartilage

from osteoarthritic knee joints, 208
vasculitis, Monocyte activation in patients with Wegener's granulomatosis, 237 Nasal manifestations of rheumatic diseases: leader, 589

Nasai manifestations of rheumatic diseases: leader, 589

venous thromboembolism, Risk of post-discharge venous
thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthroplasty. Is prolonged thromboprophylaxis
warranted or dangerous?: leader, 392
virus, Mechanisms of viral pathogenesis in rheumatic disease: leader,

vitamin D metabolites, Vitamin D receptors in the rheumatoid lesion: expression by chondrocytes, macrophages, and lesion: expression synoviocytes, 118

vitamin D receptor, Vitamin D receptors in the rheumatoid lesion expression by chondrocytes, macrophages, and synoviocytes, 118 vitamin D-24 hydroxylase, Autocrine control of vitamin D metabolism in synovial cells from arthritic patients, 372

web site, The birth of eARD: leader, 197

Wegener's granulomatosis, Microscopic polyangiitis (microscopic polyarteritis) with late emergence of generalised Wegener's granulomatosis, 644

Nasal manifestations of rheumatic diseases: leader, 589

Spleen haemorrhagic infarction and hazards of anticoagulation in Wegener's granulomatosis: letter, 654 whiplash, Epidemiology of whiplash: an international dilemma: leader,

Whipple's disease, A man with intermittent fever and arthralgia:

matters arising, 659
WOMAC, Rasch analysis of the Western Ontario MacMaster
Questionnaire (WOMAC) in 2205 patients with osteoarthritis,
rheumatoid arthritis, and fibromyalgia, 563

xerostomia, Sicca symptoms, saliva and tear production, and disease variables in 636 patients with rheumatoid arthritis, 415

Treatment of oral dryness related complaints (xerostomia) in

Sjögren's syndrome: review, 465

zymography, Examination of synovial fluid and serum hyaluronidase activity as a joint marker in rheumatoid arthritis and osteoarthritis patients (by zymography), 186



